CAS No: MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

:

Product code : 6217H

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries

1st Floor, Above Bank of India, Guru Vihar, Rahon Road,

Ludhiana Pb. (141007)

+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/24/25

T; R39/23/24/25

C; R34

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

www.Labogens.com 09/04/2015 1/11

Safety Data Sheet

2.2. Label elements

Labelling according to Directive 67/548/EEC or 1999/45/EC

Hazard symbols





T - Toxic C - Corrosive

R-phrases : R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed

R34 - Causes burns

R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation,

in contact with skin and if swallowed

S-phrases : S4 - Keep away from living quarters

S24 - Avoid contact with skin

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice

S28 - After contact with skin, wash immediately with plenty of ... (to be specified by

the manufacturer)

S35 - This material and its container must be disposed of in a safe way S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection S38 - In case of insufficient ventilation, wear suitable respiratory equipment S45 - In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible)

S59 - Refer to manufacturer/supplier for information on recovery/recycling

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methanol	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603- 001-00-X	75 - 99	F; R11 T; R23/24/25 T; R39/23/24/25	Flam. Liq. 2, H225 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
TETRABUTYL AMMONIUM HYDROXIDE 40% IN WATER		5 - 10	C; R35	Skin Corr. 1A, H314

Full text of R- and H-phrases: see section 16

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause damage to organs through prolonged or repeated exposure. Causes

damage to organs.

Symptoms/injuries after inhalation : Harmful if inhaled. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Harmful in contact with skin. Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Harmful if swallowed. May be fatal if swallowed and enters airways.

Chronic symptoms : Suspected of damaging the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Avoid breathing dust/fume/gas/mist/vapours/spray.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact during

pregnancy/while nursing.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Store

in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless to light yellow.

Odour : characteristic.

Odour threshold : No data available

pH : 11.5

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : 12 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Flammability (solid, gas) : Flammable

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1 g/cm³

Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Toxic by inhalation, in contact with skin and if swallowed. Toxic: danger of very

serious irreversible effects through inhalation, in contact with skin and if swallowed.

Irritation : Not classified

pH: 11.5

Corrosivity : Causes burns.

pH: 11.5

Sensitisation : Not classified

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

Repeated dose toxicity : Not classified Carcinogenicity : Not classified Mutagenicity : Not classified Toxicity for reproduction : Not classified

Potential adverse human health effects

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

: Dispose of contents/container to ...

recommendations
Ecology - waste materials

: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 1992

 UN-No. (IMDG)
 : 1992

 UN-No.(IATA)
 : 1992

 UN-No.(ADN)
 : 1992

 UN-No. (RID)
 : 1992

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

14.2. UN proper shipping name

Proper Shipping Name (ADR)

Proper Shipping Name (IMDG)

FLAMMABLE LIQUID, TOXIC, N.O.S.

Froper Shipping Name (IATA)

FLAMMABLE LIQUID, TOXIC, N.O.S.

Froper Shipping Name (ADN)

FLAMMABLE LIQUID, TOXIC, N.O.S.

FLAMMABLE LIQUID, TOXIC, N.O.S.

FLAMMABLE LIQUID, TOXIC, N.O.S.

Transport document description (ADR)

: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II, (D/E)

: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II

: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II

: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II

: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II

: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II

: UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S., 3 (6.1), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3 (6.1)
Danger labels (ADR) : 3, 6.1



IMDG

Transport hazard class(es) (IMDG) : 3 (6.1)
Danger labels (IMDG) : 3, 6.1



IATA

Transport hazard class(es) (IATA) : 3 (6.1) Hazard labels (IATA) : 3, 6.1



ADN

Transport hazard class(es) (ADN) : 3 (6.1)

Danger labels (ADN) : 3, 6.1



RID

Transport hazard class(es) (RID) : 3 (6.1)

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet

Danger labels (RID) : 3, 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : FT1
Special provision (ADR) : 274
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BH
Tank special provisions (ADR) : TU15
Vehicle for tank carriage : FL
Transport category (ADR) : 2

Special provisions for carriage - Loading,

unloading and handling (ADR)

Special provisions for carriage - Operation : S2, S22

(ADR)

Hazard identification number (Kemler No.) : 336

Orange plates

336 1992

: CV13, CV28

Tunnel restriction code (ADR) : D/E
EAC code : •3WE
APP code : A(fl)

- Transport by sea

Special provision (IMDG) : 274 Limited quantities (IMDG) : 1 L Excepted quantities (IMDG) : E2

www.Labogens.com 09/04/2015 8/11

Safety Data Sheet

Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2, TP13

EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): BStowage and handling (IMDG): SW2MFAG-No: 131

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 352
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
Special provision (IATA) : A3
ERG code (IATA) : 3HP

- Inland waterway transport

Classification code (ADN) : FT1

Special provisions (ADN) : 274, 802

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, TOX, A

Ventilation (ADN) : VE01, VE02

Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : FT1
Special provision (RID) : 274
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special : TP2

provisions (RID)

Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2

Special provisions for carriage - Loading

and unloading (RID)

: CW13, CW28

Colis express (express parcels) (RID) : CE7 Hazard identification number (RID) : 336

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

www.Labogens.com 09/04/2015 9/11

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according

to AwSV, Annex 1)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class I-1 Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable

liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Corr. 1A	Skin corrosion/irritation, Category 1A	
STOT SE 1	Specific target organ toxicity — single exposure, Category 1	

www.Labogens.com 09/04/2015 10/11

Safety Data Sheet

H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H331	Toxic if inhaled
H370	Causes damage to organs
R11	Highly flammable
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
R35	Causes severe burns
R39/23/24/25	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed
С	Corrosive
F	Highly flammable
Т	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11