


CAS No: 102-82-9 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
EC no	: 203-058-7
CAS No	: 102-82-9
Product code	: 6350D
Chemical structure	: 
Synonyms	: Tri-n-butylamine

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
 1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
 Ludhiana Pb. (141007)
 +91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 3	H311
Acute toxicity (inhalation:vapour) Category 1	H330
Skin corrosion/irritation, Category 2	H315
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

Full text of classification categories and H statements : see section 16

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/24

Xn; R22

Xi; R38

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H302 - Harmful if swallowed
H311 - Toxic in contact with skin
H315 - Causes skin irritation
H330 - Fatal if inhaled
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P260 - Do not breathe dust/fume/gas/mist/vapours/spray
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P284 - [In case of inadequate ventilation] wear respiratory protection
P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : TRIBUTYLAMINE FOR SYNTHESIS

CAS No : 102-82-9

EC no : 203-058-7

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Fatal if inhaled.
- Symptoms/injuries after skin contact : Toxic in contact with skin. Causes skin irritation.
- Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required.
- Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling.

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves
Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Molecular mass : 185.36 g/mol
Colour : Pale yellow.
Odour : amine like.
Odour threshold : No data available
pH : 12
Relative evaporation rate (butylacetate=1) : No data available
Melting point : -70 °C
Freezing point : No data available
Boiling point : 216.5 °C
Flash point : 63 °C
Auto-ignition temperature : 210 °C
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : 0.3 mm Hg (at 20°C)
Relative vapour density at 20 °C : 6.38
Relative density : No data available
Density : 0.7782 g/cm³

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

Solubility	: Water: Sparingly soluble in water
Log Pow	: 4.4 - 4.6
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.014 - 0.06 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Overheating. Heat.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed. Dermal: Toxic in contact with skin. Inhalation:vapour: Fatal if inhaled.
Skin corrosion/irritation	: Causes skin irritation. pH: 12
Serious eye damage/irritation	: Not classified pH: 12
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

TRIBUTYLAMINE FOR SYNTHESIS (102-82-9)

Log Pow	4.4 - 4.6
---------	-----------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2542

UN-No. (IMDG) : 2542

UN-No.(IATA) : 2542

UN-No.(ADN) : 2542

UN-No. (RID) : 2542

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: TRIBUTYLAMINE
Proper Shipping Name (IMDG)	: TRIBUTYLAMINE
Proper Shipping Name (IATA)	: TRIBUTYLAMINE
Proper Shipping Name (ADN)	: TRIBUTYLAMINE
Proper Shipping Name (RID)	: TRIBUTYLAMINE
Transport document description (ADR)	: UN 2542 TRIBUTYLAMINE, 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 2542 TRIBUTYLAMINE, 6.1, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 2542 TRIBUTYLAMINE, 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 2542 TRIBUTYLAMINE, 6.1, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 2542 TRIBUTYLAMINE, 6.1, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1



IATA

Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1



ADN

Transport hazard class(es) (ADN)	: 6.1
Danger labels (ADN)	: 6.1



RID

Transport hazard class(es) (RID)	: 6.1
----------------------------------	-------

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II


14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T1
Limited quantities (ADR) : 100ml
Excepted quantities (ADR) : E4
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions (ADR) : TP2
Tank code (ADR) : L4BH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28
Special provisions for carriage - Operation (ADR) : S9, S19
Hazard identification number (Kemler No.) : 60
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : 3X

- Transport by sea

Limited quantities (IMDG) : 100 ml
Excepted quantities (IMDG) : E4
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP2
EmS-No. (Fire) : F-A

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

EmS-No. (Spillage) : S-A
Stowage category (IMDG) : A
MFAG-No : 153

- Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y641
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 654
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 662
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T1
Special provisions (ADN) : 802
Limited quantities (ADN) : 100 ml
Excepted quantities (ADN) : E4
Equipment required (ADN) : PP, EP, TOX, A
Ventilation (ADN) : VE02
Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : T1
Limited quantities (RID) : 100ml
Excepted quantities (RID) : E4
Packing instructions (RID) : P001, IBC02
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions (RID) : TP2
Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage – Loading and unloading (RID) : CW13, CW28, CW31
Colis express (express parcels) (RID) : CE5
Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions
TRIBUTYLAMINE FOR SYNTHESIS is not on the REACH Candidate List
TRIBUTYLAMINE FOR SYNTHESIS is not on the REACH Annex XIV List

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (KBwS-Beschluss; WGK No 594)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 1 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 1
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H330	Fatal if inhaled
H411	Toxic to aquatic life with long lasting effects
R22	Harmful if swallowed
R23/24	Toxic by inhalation and in contact with skin
R38	Irritating to skin
T	Toxic
Xi	Irritant
Xn	Harmful

TRIBUTYLAMINE FOR SYNTHESIS

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product