ALIQUAT 336 EXTRA PURE MSDS

CAS No: 5137-55-3 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Trade name : Aliquat 336 88% Extra Pure

CAS No : 5137-55-3

Product code : 00838

Formula : C25H54NCI

Chemical structure : CH₃ CI

 $CH_3(CH_2)_6CH_2 - \stackrel{\downarrow}{N-}CH_2(CH_2)_6CH_3$ $\stackrel{\downarrow}{C}H_2(CH_2)_6CH_3$

Synonyms : Tricaprylylmethylammonium Chloride / Methyltrioctylammonium chloride

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301

Category 3

H315

Skin corrosion/irritation, Category 2

Serious eye damage/eye H318

irritation, Category 1

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

www.Labogens.com 11/10/2016 1/10

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R22 Xi; R41 Xi; R38 N; R50/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS05

GHS06

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H301 - Toxic if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/... P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P501 - Dispose of contents/container to ...

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%
ALIQUAT 336 Extra Pure	(CAS No) 5137-55-3	100

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com 11/10/2016 2/10

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : Wash with plenty of soap and water. Remove/Take off immediately all contaminated

clothing. Get immediate medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide. Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation

in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

www.Labogens.com 11/10/2016 3/10

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 404.17 g/mol

Colour : Colorless to pale yellow.

Odour : ammonical odour.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : 132 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 0.884 g/ml at 25°C Solubility : Water: Partially Insoluble

Log Pow : No data available

www.Labogens.com 11/10/2016 4/10

Safety Data Sheet

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks. Overheating.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed.

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

www.Labogens.com 11/10/2016 5/10

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2810 UN-No. (IMDG) : 2810 UN-No.(IATA) : 2810 UN-No.(ADN) : 2810 UN-No. (RID) : 2810

14.2. UN proper shipping name

Proper Shipping Name (ADR)

Proper Shipping Name (IMDG)

Proper Shipping Name (IMTA)

Proper Shipping Name (IATA)

Proper Shipping Name (ADN)

Proper Shipping Name (ADN)

Proper Shipping Name (RID)

TOXIC LIQUID, ORGANIC, N.O.S.

TOXIC LIQUID, ORGANIC, N.O.S.

Transport document description (ADR) : UN 2810 TOXIC LIQUID, ORGANIC, N.O.S., 6.1, III, (E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 2810 TOXIC LIQUID, ORGANIC, N.O.S., 6.1, III, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 2810 TOXIC LIQUID, ORGANIC, N.O.S., 6.1, III, ENVIRONMENTALLY

HAZARDOUS

www.Labogens.com 11/10/2016 6/10

Safety Data Sheet

Transport document description (ADN) : UN 2810 TOXIC LIQUID, ORGANIC, N.O.S., 6.1, III, ENVIRONMENTALLY

HAZARDOUS

Transport document description (RID) : UN 2810 TOXIC LIQUID, ORGANIC, N.O.S., 6.1, III, ENVIRONMENTALLY

HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : III

www.Labogens.com 11/10/2016 7/10

Safety Data Sheet

Packing group (IMDG) : 111 Packing group (IATA) : 111 : 111 Packing group (ADN) Packing group (RID) : 111

Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

Special precautions for user

- Overland transport

Classification code (ADR) : T1 Special provision (ADR) : 274, 614 Limited quantities (ADR) : 5L Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1, TP28

Tank code (ADR) : L4BH

Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT : 2 Transport category (ADR) Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13. CV28

Special provisions for carriage - Operation : S9

(ADR)

Hazard identification number (Kemler No.)

Orange plates

60 2810

Tunnel restriction code (ADR) EAC code : 2X APP code : B

- Transport by sea

Special provision (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 : TP1, TP28

Tank special provisions (IMDG) EmS-No. (Fire) : F-A : S-A EmS-No. (Spillage) Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

11/10/2016 8/10 www.Labogens.com

Safety Data Sheet

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y642
PCA limited quantity max net quantity : 2L

(IATA)

PCA packing instructions (IATA) : 655
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 663
CAO max net quantity (IATA) : 220L

Special provision (IATA) : A3, A4, A137

ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T1

Special provisions (ADN) : 274, 614, 802

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, TOX, A

Ventilation (ADN) : VE02 Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : T1

Special provision (RID) : 274, 614

Limited quantities (RID) : 5L

Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special : TP1, TP28

provisions (RID)

Tank codes for RID tanks (RID) : L4BH Special provisions for RID tanks (RID) : TU15 Transport category (RID) : 2 Special provisions for carriage – Packages : W12

(RID)

Special provisions for carriage – Loading

J

and unloading (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: CW13, CW28, CW31

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Aliquat 336 88% Extra Pure is not on the REACH Candidate List Aliquat 336 88% Extra Pure is not on the REACH Annex XIV List

www.Labogens.com 11/10/2016 9/10

Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BlmSchV

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H301	Toxic if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H410	Very toxic to aquatic life with long lasting effects
R22	Harmful if swallowed
R38	Irritating to skin
R41	Risk of serious damage to eyes
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 11/10/2016 10/10