CAS No: 100-39-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

EC no : 202-847-3 CAS No : 100-39-0 Product code : 0047D

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye H319 irritation, Category 2

Skin corrosion/irritation, H315

Category 2

Specific target organ H335

toxicity - Single exposure, Category 3, Respiratory tract irritation

Full text of classification categories and H statements : see section 16

06/08/2013 1/10 www.Labogens.com

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Xi; R36 Xi; R37 Xi; R38

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H315 - Causes skin irritation

H319 - Causes serious eye irritation H335 - May cause respiratory irritation

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : BENZYL BROMIDE FOR SYNTHESIS

CAS No : 100-39-0 EC no : 202-847-3

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

www.Labogens.com 06/08/2013 2/10

Safety Data Sheet

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If

skin irritation occurs: Get medical advice/attention. Specific treatment (see ... on this

label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-

ventilated area.

Hygiene measures : Wash ... thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

www.Labogens.com 06/08/2013 3/10

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colorless.
Odour : pleasant.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -4 °C

Freezing point : No data available

Boiling point : 198

Flash point : 86 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 5.98

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.438 g/cm³
Solubility : No data available

Log Pow : -2.92

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

www.Labogens.com 06/08/2013 4/10

Safety Data Sheet

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single : May caus

exposure)

: May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

www.Labogens.com 06/08/2013 5/10

Safety Data Sheet

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

BENZYL BROMIDE FOR SYNTHESIS (100-39-0)	
Log Pow	-2.92

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1737 UN-No. (IMDG) : 1737 UN-No.(IATA) : 1737 UN-No.(ADN) : 1737 UN-No. (RID) : 1737

14.2. UN proper shipping name

Proper Shipping Name (ADR) : BENZYL BROMIDE
Proper Shipping Name (IMDG) : BENZYL BROMIDE
Proper Shipping Name (IATA) : BENZYL BROMIDE
Proper Shipping Name (ADN) : BENZYL BROMIDE
Proper Shipping Name (RID) : BENZYL BROMIDE

Transport document description (ADR)

Transport document description (IMDG)

Transport document description (IATA)

Transport document description (IATA)

Transport document description (ADN)

Transport document description (ADN)

Transport document description (RID)

Transport document description (RID)

Transport document description (RID)

Transport document description (RID)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 (8)

www.Labogens.com 06/08/2013 6/10

Safety Data Sheet

Danger labels (ADR) : 6.1, 8



IMDG

Transport hazard class(es) (IMDG) : 6.1 (8)
Danger labels (IMDG) : 6.1, 8



IATA

Transport hazard class(es) (IATA) : 6.1 (8) Hazard labels (IATA) : 6.1, 8



ADN

Transport hazard class(es) (ADN) : 6.1 (8)
Danger labels (ADN) : 6.1, 8



RID

Transport hazard class(es) (RID) : 6.1 (8)
Danger labels (RID) : 6.1, 8



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

www.Labogens.com 06/08/2013 7/10

Safety Data Sheet

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TC1
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E4

Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15

Portable tank and bulk container

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : L4BH
Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR) : 2

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

: T8

: TP2

Special provisions for carriage - Operation : S9, S19

(ADR)

Hazard identification number (Kemler No.) : 68

Orange plates

68 1737

Tunnel restriction code (ADR) : D/E EAC code : 2X

- Transport by sea

Limited quantities (IMDG) : 0

Excepted quantities (IMDG) : E4

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

IBC special provisions (IMDG) : B20

Tank instructions (IMDG) : T8

Tank special provisions (IMDG) : TP2, TP13

EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): DStowage and handling (IMDG): SW2, H1MFAG-No: 156

- Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : 653
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 660
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 6C

www.Labogens.com 06/08/2013 8/10

Safety Data Sheet

- Inland waterway transport

Classification code (ADN) : TC1
Special provisions (ADN) : 802
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E4

Equipment required (ADN) : PP, EP, TOX, A

Ventilation (ADN) : VE02 Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : TC1
Limited quantities (RID) : 0
Excepted quantities (RID) : E4

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15

Portable tank and bulk container : T8

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2

Special provisions for carriage – Loading

and unloading (RID)

Colis express (express parcels) (RID) : CE5
Hazard identification number (RID) : 68

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP2

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: CW13, CW28, CW31

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

BENZYL BROMIDE FOR SYNTHESIS is not on the REACH Candidate List BENZYL BROMIDE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to

VwVwS, Annex 3; WGK No 5565)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

www.Labogens.com 06/08/2013 9/10

Safety Data Sheet

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management

guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
R36	Irritating to eyes
R37	Irritating to respiratory system
R38	Irritating to skin
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 06/08/2013 10/10