CAS No: 108-90-7 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Substance
	:
EC index no	: 602-033-00-1
EC no	: 203-628-5
CAS No	: 108-90-7
Product code	: 02737
Formula	: C6H5CI
Synonyms	: Monochlorobenzene

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Industrial. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number

: +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids,
Category 3H226Acute toxicity (oral),
Category 4H302Acute toxicity (inhal.),
Category 4H332Skin corrosion/irritation,
Category 2H315Hazardous to the aquatic
environment — ChronicH411Hazard, Category 2H411

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

Adverse physicochemical, human health and environmental effects No additional information available

2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS09
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H226 - Flammable liquid and vapour H302+H332 - Harmful if swallowed or if inhaled H315 - Causes skin irritation H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	: P273 - Avoid release to the environment P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/ P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor/

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name	Product identifier	%
CHLOROBENZENE FOR HPLC	(CAS No) 108-90-7 (EC no) 203-628-5 (EC index no) 602-033-00-1	100

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures)
First-aid measures after inhalation	: Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Get medical advice/attention.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/injuries after skin contact	: Causes skin irritation.
4.3. Indication of any immediate med	lical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
	p. eteetien
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective	equipment and emergency procedures
6.1. Personal precautions, protective	equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 	equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.
 6.1. Personal precautions, protective General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for contain Methods for cleaning up 6.4. Reference to other sections No additional information available 	 equipment and emergency procedures No naked lights. No smoking. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Use personal protective equipment as required. Ventilate area.

.

Safety Data Sheet

0.0

Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe st	orage, including any incompatibilities
Storage conditions	: Keep container tightly closed. Keep in fireproof place.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information availal	ble
SECTION 8: Exposure control	s/personal protection
8.1. Control parameters	
No additional information available	ble

8.2. Exposure controls	
Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
SECTION 9: Physical and chemical prop	perties
9.1. Information on basic physical a	
Physical state	: Liquid
Colour	: Clear colourless.
Odour	: almond like odour.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: 1.1
Melting point	: -45 °C
Freezing point	: No data available
Boiling point	: 132 °C
Flash point	: 27 °C
Auto-ignition temperature	: 637 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable Flammable liquid and vapour
Vapour pressure	: 15.7 hPa at 25°C
Relative vapour density at 20 °C	: 3.9

Safety Data Sheet	
Relative density	: No data available
Density Solubility	: 1.11 : Water: Insoluble in water
Log Pow	: 2.89
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 7.1 - 1.3 vol %
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous rea	actions
No additional information available	
10.4. Conditions to avoid	
Open flame. Heat. Sparks.	
10.5. Incompatible materials	
Oxidizing agent.	
10.6. Hazardous decomposition p	products
No additional information available	
SECTION 11: Toxicological informat	tion
11.1. Information on toxicologica	I effects
Acute toxicity	: Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
O	

: Not classified Carcinogenicity : Not classified

Reproductive toxicity	: Not classified
Specific target organ toxicity (single	: Not classified

Safety Data Sheet

SECTION 12: Ecological information

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

40.4 Taulatha			
12.1. Toxicity			
No additional information availa	able		
12.2. Persistence and deg	radability		
No additional information availa			
12.3. Bioaccumulative pot			
CHLOROBENZENE FOR HP			
Log Pow	2.89		
12.4. Mobility in soil			
No additional information availa	able		
	D. D. J.		
12.5. Results of PBT and v			
No additional information availa	IDIE		
12.6. Other adverse effect	-		
No additional information availa	ible		
SECTION 13: Disposal consid	derations		
13.1. Waste treatment met	hode		
No additional information availa			
SECTION 14: Transport infor	mation		
In accordance with ADR / RID	/ IMDG / IATA / ADN		
14.1. UN number			
UN-No. (ADR)	: 1134		

UN-No. (IMDG)	: 1134
UN-No.(IATA)	: 1134
UN-No.(ADN)	: Not regulated
UN-No. (RID)	: Not regulated
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: CHLOROBENZENE
Proper Shipping Name (IMDG)	: CHLOROBENZENE
Proper Shipping Name (IATA)	: CHLOROBENZENE

Safety Data Sheet

Safety Data Sheet	
Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA)	 Not regulated Not regulated UN 1134 CHLOROBENZENE, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS UN 1134 CHLOROBENZENE, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS (29°C c.c.) UN 1134 CHLOROBENZENE, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es) ADR	
Transport hazard class(es) (ADR) Danger labels (ADR)	: 3 : 3
IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 3 : 3
IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	: 3 : 3
ADN	
Transport hazard class(es) (ADN)	: Not regulated
RID Transport hazard class(es) (RID)	: Not regulated
·····	0
14.4. Packing group	
Packing group (ADR)	:
Packing group (IMDG)	: III
Packing group (IATA)	: III
Packing group (ADN)	: Not regulated
Packing group (RID)	: Not regulated
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes

Other information

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

ADR) : 5L (ADR) : E1 (ADR) : P001, IBC03, LP01, R001 sions (ADR) : MP19	Limited quantities (ADR): 5LExcepted quantities (ADR): E1	- Overland transport		
(ADR) : E1 (ADR) : P001, IBC03, LP01, R001 sions (ADR) : MP19	Excepted quantities (ADR) : E1	Classification code (ADR)	:	F1
(ADR) : P001, IBC03, LP01, R001 sions (ADR) : MP19		Limited quantities (ADR)	:	5L
(ADR) : P001, IBC03, LP01, R001 sions (ADR) : MP19		Excepted quantities (ADR)	:	E1
sions (ADR) : MP19		Packing instructions (ADR)	:	P001, IBC03, LP01, R001
		Portable tank and bulk container	:	Τ2
ulk container special : TP1		Portable tank and bulk container special provisions (ADR)	:	TP1
: LGBF	instructions (ADR) Portable tank and bulk container special : TP1	Tank code (ADR)	:	LGBF
iage · Fl	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR)		:	FL
	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF	C C	:	3
•	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL	Special provisions for carriage - Packages	:	V12
(ADR) : 3	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12	Special provisions for carriage - Operation	:	S2
(ADR) : 3 or carriage - Packages : V12	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3		:	30
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR)	Orange plates	:	20
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates			30
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates			1134
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : 30	Tunnel restriction code (ADR)	:	D/E
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : <u>30</u> 1134	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : 30 1134	EAC code	:	2Y
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : <u>30</u> 1134	instructions (ADR)Portable tank and bulk container special provisions (ADR): TP1Tank code (ADR): LGBFVehicle for tank carriage: FLTransport category (ADR): 3Special provisions for carriage - Packages (ADR): V12Special provisions for carriage - Operation (ADR): S2Hazard identification number (Kemler No.): 30Orange plates: 130Tunnel restriction code (ADR): D/E			
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : <u>30</u> : <u>30</u> 1134 ode (ADR) : D/E	instructions (ADR)Portable tank and bulk container special provisions (ADR): TP1Tank code (ADR): LGBFVehicle for tank carriage: FLTransport category (ADR): 3Special provisions for carriage - Packages (ADR): V12Special provisions for carriage - Operation (ADR): S2Hazard identification number (Kemler No.): 30Orange plates: Tunnel restriction code (ADR): D/EEAC code: 2Y			
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30 : 30 : 30 : 30 : 1134 ode (ADR) : D/E : 2Y	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea		:	5 L
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30 : 30 : 30 : 30 : 1134 ode (ADR) : D/E : 2Y MDG) : 5 L	instructions (ADR)Portable tank and bulk container special provisions (ADR): TP1Tank code (ADR): LGBFVehicle for tank carriage: FLTransport category (ADR): 3Special provisions for carriage - Packages (ADR): V12Special provisions for carriage - Operation (ADR): S2Hazard identification number (Kemler No.): 30Orange plates: 30Tunnel restriction code (ADR): D/EEAC code: 2Y- Transport by seaLimited quantities (IMDG): 5 L		:	E1
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30 : 30 1134 ode (ADR) : D/E : 2Y MDG) : 5 L (IMDG) : 5 L	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : 30 Orange plates : 30 Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1	. . ,	:	P001, LP01
$(ADR) : 3$ or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 $ \begin{array}{c} 30 \\ 30 \\ $	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR)	IBC packing instructions (IMDG)	:	IBC03
$(ADR) : 3$ or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 $ \begin{array}{c} 30 \\ 30 \\ $	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR)	Tank instructions (IMDG)	:	T2
$(ADR) : 3$ or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR)	Tank special provisions (IMDG)	:	TP1
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30 : 30 : 30 : 30 : 1134 ode (ADR) : D/E : 2Y MDG) : 5 L (IMDG) : E1 : 1100 : :	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : 30 Orange plates : 30 Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2	EmS-No. (Fire)	:	F-E
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30 : 30 : 30 : 30 : 1134 ode (ADR) : D/E : 2Y MDG) : 5 L (IMDG) : E1 : 1100 : :	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : 30 Orange plates : 30 Orange plates : 30 Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : TP1	EmS-No. (Spillage)	:	S-D
(ADR) : 3 $(ADR) : 3$ $(ADR) : V12$ $(ADR) : V12$ $(ADR) : V12$ $(ADR) : S2$ $(ADR) : 30$ $(ADR) : 30$ $(ADR) : D/E$ $(ADR) : D/E$ $(ADR) : D/E$ $(ADR) : 5 L$ $(ADR) :$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Operation Special provisions for carriage - Operation Hazard identification number (Kemler No.) Hazard identification number (Kemler No.) Corange plates Tunnel restriction code (ADR) EAC code Limited quantities (IMDG) Excepted quantities (IMDG) Excepted quantities (IMDG) Carange instructions (IMDG) Special provisions (IMDG) Tank instructions (IMDG) Carane instructions	Stowage category (IMDG)	:	Α
$(ADR) : 3$ or carriage - Packages : V12 or carriage - Operation : S2 a number (Kemler No.) : 30 $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Tank code (ADR) Vehicle for tank carriage Vehicle for tank carriage Vehicle for tank carriage Special provisions for carriage - Packages (ADR) Special provisions for carriage - Operation Special provisions for carriage - Operation Hazard identification number (Kemler No.) Hazard identification number (Kemler No.) Crange plates Tunnel restriction code (ADR) EAC code Limited quantities (IMDG) Excepted quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Tank special provisions (IMDG) Tank special provisions (IMDG) Special provisions (IMDG) Crane EmS-No. (Spillage) Special provisions (IMDG) Special pro	Flash point (IMDG)	:	29°C c.c.
$(ADR) : 3$ or carriage - Packages : V12 or carriage - Operation : S2 a number (Kemler No.) : 30 $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	instructions (ADR)Portable tank and bulk container special provisions (ADR):TP1Tank code (ADR):LGBFVehicle for tank carriage:FLTransport category (ADR):3Special provisions for carriage - Packages (ADR):V12Special provisions for carriage - Operation (ADR):S2Hazard identification number (Kemler No.):30Orange plates: 30 Tunnel restriction code (ADR):D/EEAC code:2Y- Transport by sea:Limited quantities (IMDG):5 LExcepted quantities (IMDG):E11Packing instructions (IMDG):IBC03Tank instructions (IMDG):T2Tank special provisions (IMDG):TP1EmS-No. (Fire):F-EEmS-No. (Spillage):S-DStowage category (IMDG):A			
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 30 : 5 : 5 : 2Y MDG) : : 5 : 5 : 1 : 5 : 5 : 5 : 5 : : : : : : : : : : :	instructions (ADR)Portable tank and bulk container special provisions (ADR):TP1Tank code (ADR):LGBFVehicle for tank carriage:FLTransport category (ADR):3Special provisions for carriage - Packages (ADR):V12Special provisions for carriage - Operation (ADR):S2Hazard identification number (Kemler No.):30Orange plates:30Tunnel restriction code (ADR):D/EEAC code:2Y- Transport by sea:Limited quantities (IMDG):5 LExcepted quantities (IMDG):E10Packing instructions (IMDG):T2Tank instructions (IMDG):T2Tank special provisions (IMDG):TP1EmS-No. (Fire):F-EEmS-No. (Spillage):S-DStowage category (IMDG):29°C c.c.			
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 $\begin{bmatrix} 30\\ 1134 \end{bmatrix}$ ode (ADR) : D/E : 2Y (IMDG) : 5 L (IMDG) : 5 L (IMDG) : E1 : (IMDG) : E1 : (IMDG) : IBC03 MDG) : T2 ons (IMDG) : TP1 : F-E : S-D IMDG) : A : 29°C c.c.	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : 5 L Excepted quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : T2 Tank special provisions (IMDG) : T2 Tank special provisions (IMDG) : S-D Stowage category (IMDG) : A Flash point (IMDG) : 29°C c.c.			
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : BC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : S-D Stowage category (IMDG) : A Flash point (IMDG) : Q9°C c.c. - Air transport PCA Excepted quantities (IATA) : E1	,		-
$(ADR) : 3$ or carriage - Packages : V12 or carriage - Operation : S2 a number (Kemler No.) : 30 $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	instructions (ADR) Portable tank and bulk container special : TP1 provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : 30 Orange plates : 30 Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : TP1 EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) : A Flash point (IMDG) : Q2°C c.c. - Air transport PCA Excepted quantities (IATA) : Y344	PCA limited quantity max net quantity (IATA)	:	10L
$(ADR) : 3$ or carriage - Packages : V12 or carriage - Operation : S2 a number (Kemler No.) : 30 $ \begin{array}{ccccccccccccccccccccccccccccccccccc$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Tank code (ADR) Tank code (ADR) Tank code (ADR) Tank code (ADR) Special provisions for carriage - Packages Special provisions for carriage - Operation Special provisions for carriage - Operation Special provisions for carriage - Operation Hazard identification number (Kemler No.) Hazard identification number (Kemler No.) Hazard identification number (Kemler No.) Hazard identification code (ADR) Tunnel restriction code (ADR) EAC code Transport by sea Limited quantities (IMDG) Excepted quantities (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Tank special provision	PCA packing instructions (IATA)	:	355
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 $\begin{bmatrix} 30\\ 1134 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : 30 Orange plates : 30 Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : E1 Packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : T2 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) : A Flash point (IMDG) : Q9°C c.c. - Air transport PCA Excepted quantities (IATA) : Y344 PCA limited quantity max net quantity : 10L (IATA)	PCA max net quantity (IATA)	:	60L
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 $\begin{bmatrix} 30\\ 1134 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : 30 Orange plates : 30 Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : BC03 Tank instructions (IMDG) : T21 Tank special provisions (IMDG) : T21 Tank special provisions (IMDG) : T21 Tank special provisions (IMDG) : S-D Stowage category (IMDG) : A Flash point (IMDG) : Q9°C c.c. - Air transport PCA Excepted quantities (IATA) : Y344 PCA limited quantity max net quantity : 10L (IATA) PCA packing instructions (IATA) : 355	CAO packing instructions (IATA)	:	366
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30 $: 30$ $: 30$ $: 30$ $: 30$ $: 30$ $: 1134ode (ADR) : D/E: 2Y(MDG) : 5 L$ $(IMDG) : D/E$ $: 2Y$ $(IMDG) : E1$ $(IMDG) : E1$ $: P001, LP01$ $: IBC03$ $(MDG) : T2$ $ons (IMDG) : T2$ $ons (IMDG) : F-E$ $: S-D$ $: F-E$ $: S-D$ $: F-E$ $: S-D$ $: 29°C c.c.$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12 (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : 30 Orange plates : 30 Tunnel restriction code (ADR) : D/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : BC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : T2 Tank special provisions (IMDG) : T2 Tank special provisions (IMDG) : S-D Stowage category (IMDG) : A Flash point (IMDG) : Q9°C c.c. - Air transport PCA Excepted quantities (IATA) : Y344 PCA limited quantity max net quantity : 10L (IATA) PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L	CAO max net quantity (IATA)	:	220L
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30 $: 30$ $: 30$ $: 30$ $: 30$ $: 30$ $: 1134ode (ADR) : D/E: 2Y(IMDG) : 5 L$ $(IMDG) : 5 L$ $(IMDG) : 5 L$ $(IMDG) : 1BC03$ $MDG) : 1BC03$ $MDG) : 172$ ons (IMDG) : 1BC03 MDG) : 72ons (IMDG) : 72 ons (IMDG) : 272 ons (IMDG) : 72 ons (IMDG) : 272 ons (IMDG) : 272 ons (IMDG) : 4 : 5-D IMDG) : 2 P001, LP01 $: 5-D$ $: 5-D$ $: 4A$ $: 29°C c.c.$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : Tunnel restriction code (ADR) : J/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : BC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-D Stowage category (IMDG) : A Flash point (IMDG) : A Flash point (IMDG) : Q9°C c.c. - Air transport PCA Excepted quantities (IATA) : Y344 PCA limited quantities (IATA) : Y344 PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 366	ERG code (IATA)	:	3L
(ADR) : 3 or carriage - Packages : V12 or carriage - Operation : S2 n number (Kemler No.) : 30 : 30 $: 30$ $: 30$ $: 30$ $: 30$ $: 30$ $: 1134ode (ADR) : D/E: 2Y(IMDG) : 5 L$ $(IMDG) : 5 L$ $(IMDG) : 5 L$ $(IMDG) : 1BC03$ $MDG) : 1BC03$ $MDG) : 172$ ons (IMDG) : 1BC03 MDG) : 72ons (IMDG) : 72 ons (IMDG) : 272 ons (IMDG) : 72 ons (IMDG) : 272 ons (IMDG) : 272 ons (IMDG) : 4 : 5-D IMDG) : 2 P001, LP01 $: 5-D$ $: 5-D$ $: 4A$ $: 29°C c.c.$	instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages (ADR) Special provisions for carriage - Operation : S2 (ADR) Hazard identification number (Kemler No.) : 30 Orange plates : Tunnel restriction code (ADR) : J/E EAC code : 2Y - Transport by sea Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : BC03 Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : T2 Tank special provisions (IMDG) : T12 Tank special provisions (IMDG) : S-D Stowage category (IMDG) : A Flash point (IMDG) : A Flash point (IMDG) : Q9°C c.c. - Air transport PCA Excepted quantities (IATA) : Y344 PCA limited quantity (IATA) : 355 PCA max net quantity (IATA) : 366 CAO max net quantity (IATA) : 220L	- Inland waterway transport		
: LGBF		Portable tank and bulk container special provisions (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Operation (ADR) Hazard identification number (Kemler No.)		LGBF FL 3 V12 S2 30
		Packing instructions (ADR)	:	P001, IBC03, LP01, R001
(ADR) : P001, IBC03, LP01, R001 sions (ADR) : MP19			:	E1
(ADR) : E1 (ADR) : P001, IBC03, LP01, R001 sions (ADR) : MP19	Excepted quantities (ADR) : E1		:	5L
(ADR) : E1 (ADR) : P001, IBC03, LP01, R001 sions (ADR) : MP19	Excepted quantities (ADR) : E1	Classification code (ADR)	:	F1
ADR) : 5L (ADR) : E1 (ADR) : P001, IBC03, LP01, R001 sions (ADR) : MP19	Limited quantities (ADR): 5LExcepted quantities (ADR): E1	- Overland transport		

Not regulated

- Rail transport

Not regulated

Safety Data Sheet

14.7. Transport in bulk according to A	Annex II of MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	
15.1. Safety, health and environmenta	al regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
No REACH Annex XVII restrictions CHLOROBENZENE FOR HPLC is not on t	
CHLOROBENZENE FOR HPLC is not on t	
CHEOROBENZENE FOR HEE IS NOT ON T	THE REACH ATTIES ATVEST
15.1.2. National regulations	
Germany	
AwSV/VwVwS Annex reference	: Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 2; WGK No 53)
12th Ordinance Implementing the Federal	
Immission Control Act - 12.BImSchV	
Denmark	
Class for fire hazard	: Class II-1
Store unit	: 5 liter
Classification remarks	: R10 <h226;h302+h332;h315;h411>; Emergency management guidelines for the</h226;h302+h332;h315;h411>
	storage of flammable liquids must be followed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H315	Causes skin irritation
H332	Harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product