CAS No: MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

:

Product code : 03052

Synonyms : Gentian Violet Indicator

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial; For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Substances and Mixtures H260 which, in contact with water, emit flammable gases, Category 1
Corrosive to metals, H290
Category 1
Carcinogenicity, Category H350

Full text of classification categories and H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

www.Labogens.com 15/12/2017 1/10

Safety Data Sheet

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS05

GHS08

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H260 - In contact with water releases flammable gases which may ignite

spontaneously

H290 - May be corrosive to metals

H350 - May cause cancer

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) : P234 - Keep only in original container

P280 - Wear protective gloves/protective clothing/eve protection/face protection

P273 - Avoid release to the environment

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETIC ACID GLACIAL	(CAS No) 64-19-7 (EC no) 200-580-7 (EC index no) 607-002-00-6	99 - 100	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318
CRYSTAL VIOLET AR C.I.No.42555 substance listed as REACH Candidate ([4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)])	(CAS No) 548-62-9	1-1	Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 STOT SE 3, H335 Aquatic Chronic 4, H413

Full text of H-phrases: see section 16

www.Labogens.com 15/12/2017 2/10

Safety Data Sheet

SECTION 4: First aid measures

First-aid measures after ingestion

Description of first aid measures 4.1.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact Remove/Take off immediately all contaminated clothing. Gently wash with plenty of

soap and water. Get immediate medical advice/attention.

Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously First-aid measures after eye contact with water for several minutes. If eye irritation persists: Get medical advice/attention.

Rinse mouth out with water. Do not induce vomiting because of corrosive effects. If

you feel unwell, seek medical advice.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May cause cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

Suitable extinguishing media : Dry chemical, CO2, dry sand, or alcohol-resistant foam. Unsuitable extinguishing media : Do not use extinguishing media containing water.

Special hazards arising from the substance or mixture

No additional information available

5.3. **Advice for firefighters**

: Do not attempt to take action without suitable protective equipment. Protection during firefighting

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. **Environmental precautions**

Harmful to aquatic life with long lasting effects.

Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Absorb spillage to prevent

material damage.

Reference to other sections 6.4.

No additional information available

SECTION 7: Handling and storage

Precautions for safe handling 7.1.

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

15/12/2017 3/10 www.Labogens.com

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Protect from moisture. Store in a well-ventilated place.

Incompatible materials : Keep away from any possible contact with water, because of violent reaction and

possible flash fire.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Dark blue to violet.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : 40 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : 1.06

Solubility : No data available

www.Labogens.com 15/12/2017 4/10

Safety Data Sheet

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Could react violently or explosively on contact with water.

10.2. Chemical stability

May intensify fire; oxidiser.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Moisture. Water, humidity.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

www.Labogens.com 15/12/2017 5/10

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

ACETIC ACID GLACIAL (64-19-7)	
Log Pow	0.17

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
CRYSTAL VIOLET AR C.I.No.42555 (548-62-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 2789

 UN-No. (IMDG)
 : 2789

 UN-No.(IATA)
 : 2789

 UN-No.(ADN)
 : Not regulated

 UN-No. (RID)
 : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ACETIC ACID, GLACIAL
Proper Shipping Name (IMDG) : ACETIC ACID, GLACIAL
Proper Shipping Name (IATA) : ACETIC ACID, GLACIAL

Proper Shipping Name (ADN) : Not regulated Proper Shipping Name (RID) : Not regulated

www.Labogens.com 15/12/2017 6/10

Safety Data Sheet

Transport document description (ADR) : UN 2789 ACETIC ACID, GLACIAL, 8 (3), II, (D/E) Transport document description (IMDG) : UN 2789 ACETIC ACID, GLACIAL, 8 (3), II : UN 2789 ACETIC ACID, GLACIAL, 8 (3), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8 (3)
Danger labels (ADR) : 8, 3



IMDG

Transport hazard class(es) (IMDG) : 8 (3)
Danger labels (IMDG) : 8, 3



IATA

Transport hazard class(es) (IATA) : 8 (3) Hazard labels (IATA) : 8, 3



ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II

Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

www.Labogens.com 15/12/2017 7/10

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : CF1
Limited quantities (ADR) : 1L
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special : TP2

provisions (ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation : S2

(ADR)

Hazard identification number (Kemler No.) : 83

Orange plates :

83 2789

Tunnel restriction code (ADR) : D/E
EAC code : •2P
APP code : A(fl)

- Transport by sea

Limited quantities (IMDG) : 1 L : E2 Excepted quantities (IMDG) Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 : T7 Tank instructions (IMDG) Tank special provisions (IMDG) : TP2 : F-E EmS-No. (Fire) EmS-No. (Spillage) : S-C Stowage category (IMDG) : A

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity : 0.5L

(IATA)

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 8F

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

www.Labogens.com 15/12/2017 8/10

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains substance on the candidate list in concentration \geq 0.1% or with a lower specific limit: [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with \geq 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (CAS 548-62-9)

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to AwSV,

Annex 1)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H260;H290;H350;H412>; Emergency management guidelines for the storage

of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Carc. 1A	Carcinogenicity, Category 1A
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3

www.Labogens.com 15/12/2017 9/10

Safety Data Sheet

Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
Water-react. 1	Substances and Mixtures which, in contact with water, emit flammable gases, Category 1
H226	Flammable liquid and vapour
H260	In contact with water releases flammable gases which may ignite spontaneously
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation
H350	May cause cancer
H413	May cause long lasting harmful effects to aquatic life

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 15/12/2017 10/10