

ISO-BUTYL CHLOROFORMATE FOR SYNTHESIS MSDS


CAS-No.: 543-27-1 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC-No. : 208-840-1
CAS-No. : 543-27-1
Product code : 4212D
Chemical structure :



1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhal.), H331
Category 3
Skin corrosion/irritation, H314
Category 1B
Flammable liquids, H226
Category 3
Acute toxicity (oral), H302
Category 4

Full text of H statements : see section 16

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

T; R23
Xn; R22
C; R34
R10

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS05

GHS02

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H226 - Flammable liquid and vapour.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H331 - Toxic if inhaled.

Precautionary statements (CLP) :

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : iso-BUTYL CHLOROFORMATE For Synthesis
CAS-No. : 543-27-1
EC-No. : 208-840-1

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Unsuitable extinguishing media	: Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Avoid contact with skin, eyes and clothing.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
----------------------	--

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Clean contaminated surfaces with an excess of water.
-------------------------	--

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Wash contaminated clothing before reuse.

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Comply with applicable regulations.
Storage conditions	: Keep container tightly closed.
Incompatible materials	: Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection	: Protective gloves
Eye protection	: Chemical goggles or face shield
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Molecular mass	: 136.58 g/mol
Colour	: Clear Colorless.
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet

Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation: Toxic if inhaled. Oral: Harmful if swallowed.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2742

UN-No. (IMDG) : 2742

UN-No. (IATA) : 2742

UN-No. (ADN) : 2742

UN-No. (RID) : 2742

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.

Proper Shipping Name (IMDG) : CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.

Proper Shipping Name (IATA) : Chloroformates, toxic, corrosive, flammable, n.o.s.

Proper Shipping Name (ADN) : CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet

Proper Shipping Name (RID)	: CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.
Transport document description (ADR)	: UN 2742 CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S., 6.1 (3+8), II, (D/E)
Transport document description (IMDG)	: UN 2742 CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S., 6.1 (3+8), II
Transport document description (IATA)	: UN 2742 Chloroformates, toxic, corrosive, flammable, n.o.s., 6.1, II
Transport document description (ADN)	: UN 2742 CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S., 6.1 (3+8), II
Transport document description (RID)	: UN 2742 CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S., 6.1 (3+8), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 (3, 8)

Danger labels (ADR) : 6.1, 3, 8



IMDG

Transport hazard class(es) (IMDG) : 6.1 (3, 8)

Danger labels (IMDG) : 6.1, 3, 8



IATA

Transport hazard class(es) (IATA) : 6.1 (3, 8)

Hazard labels (IATA) : 6.1, 3, 8



ADN

Transport hazard class(es) (ADN) : 6.1 (3, 8)

Danger labels (ADN) : 6.1, 3, 8



RID

Transport hazard class(es) (RID) : 6.1 (3, 8)

Danger labels (RID) : 6.1, 3, 8

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet



14.4. Packing group

Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (IATA)	: II
Packing group (ADN)	: II
Packing group (RID)	: II

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: TFC
Special provisions (ADR)	: 274, 561
Limited quantities (ADR)	: 100ml
Excepted quantities (ADR)	: E4
Packing instructions (ADR)	: P001, IBC01
Mixed packing provisions (ADR)	: MP15
Tank code (ADR)	: L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S2, S9, S19
Hazard identification number (Kemler No.)	: 638
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: •3W
APP code	: A(fl)

- Transport by sea

Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC01
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-C
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW1, SW2, H1, H2
Segregation (IMDG)	: SG5, SG8

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet

Properties and observations (IMDG) : A wide range of colourless to yellowish flammable liquids. React and decompose with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Flashpoint: Cyclohexyl Chloroformate: 53°C c.c. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.

MFAG-No : 155

- Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y640
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 653
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 660
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 6CF

- Inland waterway transport

Classification code (ADN) : TFC
Special provisions (ADN) : 274, 561, 802
Limited quantities (ADN) : 100 ml
Excepted quantities (ADN) : E4
Equipment required (ADN) : PP, EP, EX, TOX, A
Ventilation (ADN) : VE01, VE02
Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : TFC
Special provisions (RID) : 274, 561
Excepted quantities (RID) : E4
Packing instructions (RID) : P001, IBC01
Mixed packing provisions (RID) : MP15
Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28, CW31
Colis express (express parcels) (RID) : CE5
Hazard identification number (RID) : 638

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

iso-BUTYL CHLOROFORMATE For Synthesis is not on the REACH Candidate List

iso-BUTYL CHLOROFORMATE For Synthesis is not on the REACH Annex XIV List

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
R10	Flammable
R22	Harmful if swallowed
R23	Toxic by inhalation
R34	Causes burns
C	Corrosive
T	Toxic
Xn	Harmful

iso-BUTYL CHLOROFORMATE For Synthesis

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product