

CAS-No.: MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
:
Product code : 4585D

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301
Category 3
Acute toxicity (dermal), H311
Category 3
Acute toxicity H331
(inhalation:dust,mist)
Category 3
Skin corrosion/irritation, H314
Category 1
Germ cell mutagenicity, H340
Category 1A
Carcinogenicity, Category H350
1A
Specific target organ H373
toxicity — Repeated
exposure, Category 2
Hazardous to the aquatic H411
environment — Chronic
Hazard, Category 2

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS06

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) :

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage.
H340 - May cause genetic defects.
H350 - May cause cancer.
H373 - May cause damage to organs through prolonged or repeated exposure.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P201 - Obtain special instructions before use.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	96.85	Not classified

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet

MERCURIC SULPHATE AR/ACS	(CAS-No.) 7783-35-9	2	Acute Tox. 1 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 STOT RE 2, H373 Aquatic Chronic 1, H410
SULPHURIC ACID AR	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8	1	Skin Corr. 1A, H314
POTASSIUM DICHROMATE AR substance listed as REACH Candidate (Potassium dichromate) substance listed in REACH Annex XIV (Potassium dichromate)	(CAS-No.) 7778-50-9 (EC-No.) 231-906-6 (EC Index-No.) 024-002-00-6	0.15	Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Aquatic Acute 1, H400

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Causes severe skin burns and eye damage. May cause genetic defects. May cause damage to organs through prolonged or repeated exposure.
- Symptoms/effects after inhalation : Toxic if inhaled.
- Symptoms/effects after skin contact : Toxic in contact with skin.
- Symptoms/effects after ingestion : Toxic if swallowed.
- Chronic symptoms : May cause cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Orange coloured liquid.

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet

Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight.

10.5. Incompatible materials

No additional information available

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation:dust,mist:
Toxic if inhaled.

ATE CLP (oral)	100 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (dust,mist)	0.5 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : May cause genetic defects.

Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

MERCURIC SULPHATE AR/ACS (7783-35-9)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

POTASSIUM DICHROMATE AR (7778-50-9)

Log Pow	5
---------	---

12.4. Mobility in soil

No additional information available

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet

12.5. Results of PBT and vPvB assessment

Component	
POTASSIUM DICHROMATE AR (7778-50-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 2922
UN-No. (IMDG)	: 2922
UN-No. (IATA)	: 2922
UN-No. (ADN)	: 2922
UN-No. (RID)	: 2922

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CORROSIVE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (IATA)	: Corrosive liquid, toxic, n.o.s.
Proper Shipping Name (ADN)	: CORROSIVE LIQUID, TOXIC, N.O.S.
Proper Shipping Name (RID)	: CORROSIVE LIQUID, TOXIC, N.O.S.
Transport document description (ADR)	: UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 2922 Corrosive liquid, toxic, n.o.s., 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 8 (6.1)
Danger labels (ADR)	: 8, 6.1

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet



IMDG

Transport hazard class(es) (IMDG) : 8 (6.1)
Danger labels (IMDG) : 8, 6.1



IATA

Transport hazard class(es) (IATA) : 8 (6.1)
Hazard labels (IATA) : 8, 6.1



ADN

Transport hazard class(es) (ADN) : 8 (6.1)
Danger labels (ADN) : 8, 6.1



RID

Transport hazard class(es) (RID) : 8 (6.1)
Danger labels (RID) : 8, 6.1



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION


Safety Data Sheet

Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: CT1
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Hazard identification number (Kemler No.)	: 86
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B

- Transport by sea

Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes. Toxic if swallowed, by skin contact or by inhalation.

- Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet

ERG code (IATA)	: 8P
- Inland waterway transport	
Classification code (ADN)	: CT1
Special provisions (ADN)	: 274, 802
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 2

- Rail transport

Classification code (RID)	: CT1
Special provisions (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 86

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: Potassium dichromate (EC 231-906-6, CAS 7778-50-9)

Contains REACH Annex XIV substances:

Substance name	Authorisation number	Sunset date	REACH authorisation exemptions
Potassium dichromate (EC 231-906-6, CAS 7778-50-9)		21/09/2017	

15.1.2. National regulations

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : SULPHURIC ACID AR,POTASSIUM DICHROMATE AR are listed

SZW-lijst van mutagene stoffen : POTASSIUM DICHROMATE AR is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : POTASSIUM DICHROMATE AR is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : POTASSIUM DICHROMATE AR is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : POTASSIUM DICHROMATE AR is listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 1A	Carcinogenicity, Category 1A
Muta. 1A	Germ cell mutagenicity, Category 1A
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A

MERCURY (II) SULPHATE 20GM/L IN POTASSIUM DICHROMATE 0.005 MOL/L(Acidified with Sulphuric acid) FOR COD DETERMINATION

Safety Data Sheet

STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product