N-HEPTANE FOR PESTICIDE RESIDUE TRACE ANALYSIS MSDS

CAS No: 142-82-5 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identificati	ion of the substance/mixture and of the company/undertaking
1.1. Product identif	fier
Product form	: Substance
Trade name	: n-HEPTANE For pesticide residue trace analysis
CAS No	: 142-82-5
Product code	: 0159C
1.2. Relevant ident	ified uses of the substance or mixture and uses advised against
1.2.1. Relevant ident	ified uses
Use of the substance/mi	xture : Laboratory chemicals, Manufacture of substances
1.2.2. Uses advised a No additional information	
1.3. Details of the s	supplier of the safety data sheet
Labogens Fine Chem Ind 1st Floor , Above Bank o Ludhiana Pb. (141007) +91 9316777775, +91 73 <u>sales@labogens.com</u> -	of India, Guru Vihar , Rahon Road, 707855700
1.4. Emergency tel	ephone number
Emergency number	: +91 7707855700 (9:00am - 6:00 pm)
SECTION 2: Hazards id	lentification of the substance or mixture
Classification accordin	ng to Regulation (EC) No. 1272/2008 [CLP]
Flammable liquids, Category 2	H225
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Aspiration hazard,	H304

Hazardous to the aquatic H410 environment — Chronic

Hazard, Category 1

Category 1

Full text of classification categories and H statements : see section 16

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xn; R65 Xi; R38 N; R50/53 R67 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements					
Labelling according to Regulation (EC) No. 1272/2008 [CLP]					
Hazard pictograms (CLP)					
	GHS02 GHS07 GHS08 GHS09				
Signal word (CLP)	: Danger				
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H410 - Very toxic to aquatic life with long lasting effects 				
Precautionary statements (CLP)	 P201 - Obtain special instructions before use P261 - Avoid breathing dust/fume/gas/mist/vapours/spray P273 - Avoid release to the environment P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/ P331 - Do NOT induce vomiting P501 - Dispose of contents/container to 				

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients			
3.1.	Substance		
Name		: n-HEPTANE For pesticide residue trace analysis	
CAS No	o	: 142-82-5	

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	Call a POISON CENTER or doctor/physician if you feel unwell. Wash with plenty of soap and water. Wash contaminated clothing before reuse. Get
	medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate medi	cal attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	Do not use extinguishing media containing water.
	. Do not use extinguishing media containing water.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective	equipment and emergency procedures
	: Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
	: Use personal protective equipment as required.
	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	On land, sweep or shovel into suitable containers. Collect spillage. Soak up spills
	with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
	: Handle empty containers with care because residual vapours are flammable.
Additional nazards when processed	

n-HEPTANE For pesticide residue trace analysis Safety Data Sheet

Precautions for safe handling	: Keep away from sources of ignition - No smoking. Use only non-sparking tools. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Do not breathe vapours.		
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, incl	luding any incompatibilities		
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment. 		
Storage conditions	: Keep in fireproof place. Keep container tightly closed.		
Incompatible materials	: Heat sources.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			

No additional information available

8.2. Exposure controls				
Hand protection	: Protective gloves			
Eye protection	: Chemical goggles or safety glasses			
Skin and body protection	: Wear suitable protective clothing			
Respiratory protection	: Wear respiratory protection			
SECTION 9: Physical and chemical pro	SECTION 9: Physical and chemical properties			
9.1. Information on basic physical	and chemical properties			
Physical state	: Liquid			
Colour	: Clear Colorless.			
Odour	: mild odor - gasoline-like.			
Odour threshold	: No data available			
рН	: No data available			
Relative evaporation rate (butylacetate=1) : 2.8			
Melting point	: -91 °C			
Freezing point	: No data available			
Boiling point	: 98			
Flash point	: -4 °C			
Auto-ignition temperature	: 223 °C			
Decomposition temperature	: No data available			

n-HEPTANE For pesticide residue trace analysis Safety Data Sheet

Safety Data Sheet	
Flammability (solid, gas)	: Flammable Highly flammable liquid and vapour
Vapour pressure	: 53.3 hPa at 20°C
Relative vapour density at 20 °C	: 3.5
Relative density	: No data available
Density Solubility	: 0.68 g/cm³ : Water: Insoluble in water
Log Pow	: > 3
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.011 - 0.07 vol %
SECTION 10: Stability and reactivity10.1.ReactivityNo additional information available10.2.Chemical stabilityStable under normal conditions.10.3.Possibility of hazardous reaction10.3.Possibility of hazardous reactionNo additional information available10.4.Conditions to avoidOpen flame.Heat. Overheating.10.5.Incompatible materialsOxidizing agent.10.6.Hazardous decompositionMay release flammable gases.	actions
SECTION 11: Toxicological information	tion
11.1. Information on toxicologica	
Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation	 Causes skin irritation. Not classified Not classified

: Not classified

: Not classified

Carcinogenicity

Germ cell mutagenicity

n-HEPTANE For pesticide residue trace analysis Safety Data Sheet

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Very toxic to aquatic life with long lasting effects.

12.2.	Persistence and degradability	
n-HE	PTANE For pesticide residue trace	analysis (142-82-5)
Persi	stence and degradability	May cause long-term adverse effects in the environment.
12.3.	Bioaccumulative potential	
n-HE	PTANE For pesticide residue trace	analysis (142-82-5)
Log Pow		
Log I	Pow	> 3
Log F	Pow	> 3
		> 3
12.4.	Pow Mobility in soil ditional information available	> 3
12.4.	Mobility in soil	>3
12.4.	Mobility in soil	

No additional information available

12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	S
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Hazardous waste due to toxicity.
SECTION 14: Transport information	

In accordance with ADR / RID / IMDG / IATA / ADN

1			11/04/0010	0/10
UN-No	. (IMDG)	: 1206		
UN-No	. (ADR)	: 1206		
14.1.	UN number			

Safety Data Sheet

UN-No.(IATA)	: 1206
UN-No.(ADN)	: 1206
UN-No. (RID)	: 1206

14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: HEPTANES
Proper Shipping Name (IMDG)	: HEPTANES
Proper Shipping Name (IATA)	: HEPTANES
Proper Shipping Name (ADN)	: HEPTANES
Proper Shipping Name (RID)	: HEPTANES
Transport document description (ADR)	: UN 1206 HEPTANES, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1206 HEPTANES, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1206 HEPTANES, 3, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) Danger labels (ADR)





IMDG

Transport hazard class(es) (IMDG)	
Danger labels (IMDG)	





ΙΑΤΑ	
Transport hazard class(es) (IATA)	
Hazard labels (IATA)	



:

:



ADN

Transport hazard class(es) (ADN) Danger labels (ADN)

: 3 : 3



Safety Data Sheet

RID

Transport hazard class(es) (RID)	
Danger labels (RID)	



:

14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: F1
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33 1206
Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE
- Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E

Safety Data Sheet

EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
MFAG-No	: 128
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3H
- Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

n-HEPTANE For pesticide residue trace analysis is not on the REACH Candidate List n-HEPTANE For pesticide residue trace analysis is not on the REACH Annex XIV List

Safety Data Sheet

15.1.2. National regulations

Germany AwSV/VwVwS Annex reference 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Water hazard class (WGK) 2, hazardous to water (KBwS-Beschluss; WGK No 120) : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Denmark Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be
Recommendations Danish Regulation	followed : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H410	Very toxic to aquatic life with long lasting effects
R11	Highly flammable
R38	Irritating to skin
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product