N-HEXYLAMINE FOR HPLC MSDS

CAS No: 111-26-2 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

 EC no
 : 203-851-8

 CAS No
 : 111-26-2

 Product code
 : 4054K

 Formula
 : C6H15N

 Synonyms
 : 1-Aminohexane

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226

Category 3

Acute toxicity (oral), H301

Category 3

Acute toxicity (dermal), H311

Category 3

Skin corrosion/irritation, H314

Category 1A

Full text of classification categories and H statements : see section 16

www.Labogens.com Version: 1.0 03/11/2017 1/10

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R21/22 C; R35 R10

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS02

GHS05

GHS06

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H301+H311 - Toxic if swallowed or in contact with skin H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : n-HEXYLAMINE FOR HPLC

CAS No : 111-26-2 EC no : 203-851-8

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com Version: 1.0 03/11/2017 2/10

Safety Data Sheet

4.2.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Wash skin with plenty of water. Get medical advice/attention. Take off contaminated

clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of

throat with constricting sensation of the larynx and difficulty in breathing.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray. Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

www.Labogens.com Version: 1.0 03/11/2017 3/10

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Handle empty containers with care because residual vapours are flammable.

: No naked lights. No smoking. Take precautionary measures against static discharge.

Use only non-sparking tools. Do not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment. Comply with applicable regulations.

Storage conditions : Keep container tightly closed. Keep in fireproof place.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear colourless.

Odour : No data available

Odour threshold : No data available

pH : 11.6 at 10g/l at 20°C

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -23 °C

Freezing point : No data available

Boiling point : 131 - 132 °C

Flash point : 27 °C

www.Labogens.com Version: 1.0 03/11/2017 4/10

Safety Data Sheet

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour

Flammable liquid and vapour

Vapour pressure : 10.6 hPa

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 0.766 g/cm³ at 25°C Solubility : Water: Soluble

Log Pow : 1.9

Viscosity, kinematic : 1.07 mm²/s at 23°C

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 11.6 at 10g/l at 20°C

www.Labogens.com Version: 1.0 03/11/2017 5/10

Safety Data Sheet

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 11.6 at 10g/l at 20°C

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

n-HEXYLAMINE FOR HPLC (111-26-2)Viscosity, kinematic1.07 mm²/s at 23°C

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

n-HEXYLAMINE FOR HPLC (111-26-2)	
Log Pow	1.9

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to ...

www.Labogens.com Version: 1.0 03/11/2017 6/10

Safety Data Sheet

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2734 UN-No. (IMDG) : 2734 UN-No.(IATA) : 2734

UN-No.(ADN) : Not regulated UN-No. (RID) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.
Proper Shipping Name (IMDG) : AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.
Proper Shipping Name (IATA) : AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.

Proper Shipping Name (ADN) : Not regulated Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S., 8 (3), I, (D/E) Transport document description (IMDG) : UN 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S., 8 (3), I : UN 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S., 8 (3), I

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8 (3)
Danger labels (ADR) : 8, 3







IMDG

Transport hazard class(es) (IMDG) : 8 (3)
Danger labels (IMDG) : 8, 3

:





IATA

Transport hazard class(es) (IATA) : 8 (3) Hazard labels (IATA) : 8, 3

:





ADN

Transport hazard class(es) (ADN) : Not regulated

www.Labogens.com Version: 1.0 03/11/2017 7/10

Safety Data Sheet

RID

Transport hazard class(es) (RID) : Not regulated

Packing group 14.4.

Packing group (ADR) : 1 Packing group (IMDG) : 1 : 1 Packing group (IATA)

Packing group (ADN) : Not regulated Packing group (RID) : Not regulated

Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

Special precautions for user

- Overland transport

: CF1 Classification code (ADR) Special provision (ADR) : 274 Limited quantities (ADR) : 0 : E0 Excepted quantities (ADR) Packing instructions (ADR) : P001 Mixed packing provisions (ADR) : MP8, MP17 : T14

Portable tank and bulk container

instructions (ADR)

: TP2, TP27

Portable tank and bulk container special

provisions (ADR)

: L10BH Tank code (ADR) Vehicle for tank carriage : FL Transport category (ADR) : 1

(ADR)

Special provisions for carriage - Operation : S2, S14

Hazard identification number (Kemler No.) : 883

Orange plates

883

: D/E Tunnel restriction code (ADR) EAC code : •2W APP code : A(fl)

- Transport by sea

Special provision (IMDG) : 274 Limited quantities (IMDG) : 0 : E0 Excepted quantities (IMDG) : P001 Packing instructions (IMDG) Tank instructions (IMDG) : T14 Tank special provisions (IMDG) : TP2. TP27 EmS-No. (Fire) : F-E : S-C EmS-No. (Spillage) : A Stowage category (IMDG) Segregation (IMDG) : SG35 MFAG-No : 132

Version: 1.0 03/11/2017 8/10 www.Labogens.com

Safety Data Sheet

- Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : 850
PCA max net quantity (IATA) : 0.5L
CAO packing instructions (IATA) : 854
CAO max net quantity (IATA) : 2.5L
ERG code (IATA) : 8F

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

n-HEXYLAMINE FOR HPLC is not on the REACH Candidate List n-HEXYLAMINE FOR HPLC is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 1615)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H301+H311;H314>; Emergency management guidelines for the storage

of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

www.Labogens.com Version: 1.0 03/11/2017 9/10

Safety Data Sheet

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
R10	Flammable
R21/22	Harmful in contact with skin and if swallowed
R35	Causes severe burns
С	Corrosive
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com Version: 1.0 03/11/2017 10/10