## CAS No: 111-65-9 MSDS



### MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier	
Product	form	: Substance
		:
EC no		: 203-892-1
CAS No	)	: 111-65-9
Product	code	: 5037K
Chemic	al structure	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>6</sub> CH <sub>3</sub>

1.2.	Relevant identified uses of the	e substance or mixture and uses advised against
1.2.1.	Relevant identified uses	
Use of	the substance/mixture	: Laboratory chemicals, Manufacture of substances
1.2.2.	Uses advised against	
No add	litional information available	
1.3.	Details of the supplier of the s	afety data sheet
1st Floo Ludhiai +91 93	ens Fine Chem Industries or , Above Bank of India, Guru Vil na Pb. (141007) 16777775, +91 7707855700 <u>abogens.com</u> - <u>www.Labogens</u>	
1.4.	Emergency telephone numbe	r
Emerge	ency number	: +91 7707855700 (9:00am - 6:00 pm)

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, H225 Category 2 Skin corrosion/irritation, H315 Category 2 Specific target organ H336 toxicity — Single exposure, Category 3, Narcosis Aspiration hazard, H304 Category 1 Hazardous to the aquatic H410 environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

Safety Data Sheet

#### Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xn; R65 Xi; R38 N; R50/53 R67 Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements	
Labelling according to Regulation (EC) N	lo. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Hazard statements (CLP)	<ul> <li>H225 - Highly flammable liquid and vapour</li> <li>H304 - May be fatal if swallowed and enters airways</li> <li>H315 - Causes skin irritation</li> <li>H336 - May cause drowsiness or dizziness</li> <li>H410 - Very toxic to aquatic life with long lasting effects</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking P261 - Avoid breathing dust/fume/gas/mist/vapours/spray</li> <li>P273 - Avoid release to the environment</li> <li>P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician</li> <li>P331 - Do NOT induce vomiting</li> <li>P501 - Dispose of contents/container to</li> </ul>

#### 2.3. Other hazards

No additional information available

SECTI	ON 3: Composition/informatio	on on ingredients
3.1.	Substance	
Name		: n-OCTANE For Synthesis
CAS N	0	: 111-65-9
EC no		: 203-892-1

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measu	res
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see on this label).
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautious with water for several minutes. If eye irritation persists: Get medical advice/attention
First-aid measures after ingestion	: Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
	nedical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from t	the substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
SECTION 6: Accidental release measu	res
6.1. Personal precautions, protect	ive equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No nake lights. No smoking.
6.1.1. For non-emergency personne	l de la constante d
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Avoid breathing dust/fume/gas/mist/vapours/spray.
Emergency procedures	: Stop release.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for cont	tainment and cleaning up
Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
6.4. Reference to other sections No additional information available	

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: No naked lights. No smoking. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash thoroughly after handling.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	<ul> <li>Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment.</li> </ul>
Storage conditions	: Keep in fireproof place. Keep container tightly closed.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information available	

SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
SECTION 9: Physical and chemical prop	erties
9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Molecular mass	: 114.23 g/mol
Colour	: Colorless.
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available

Safety Data Sheet	
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapour
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
<b>9.2.</b> Other information No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Highly flammable liquid and vapour. Ma	ay form flammable/explosive vapour-air mixture.
10.3. Possibility of hazardous rea	ctions
No additional information available	
10.4. Conditions to avoid	
Open flame. Direct sunlight.	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition p	products
May release flammable gases.	
SECTION 11: Toxicological informat	ion
11.1. Information on toxicologica	l effects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified

: Not classified

: Not classified

Carcinogenicity

Germ cell mutagenicity

Reproductive toxicity Specific target organ toxicity (single exposure)	<ul> <li>Not classified</li> <li>May cause drowsiness or dizziness.</li> </ul>
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability	
n-OCTANE For Synthesis (111-65-9)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB asse	essment
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to
	. Llandle ampty containers with care because residuel yeneurs are flammable
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Hazardous waste due to toxicity.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / I	ATA / AUN

14.1. UN number	
UN-No. (ADR)	: 1262
UN-No. (IMDG)	: 1262
UN-No.(IATA)	: 1262

Safety Data Sheet

UN-No.(ADN)	: 1262
UN-No. (RID)	: 1262
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: OCTANES
Proper Shipping Name (IMDG)	: OCTANES
Proper Shipping Name (IATA)	: OCTANES
Proper Shipping Name (ADN)	: OCTANES
Proper Shipping Name (RID)	: OCTANES
Transport document description (ADR)	: UN 1262 OCTANES, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1262 OCTANES, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1262 OCTANES, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1262 OCTANES, 3, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1262 OCTANES, 3, II, ENVIRONMENTALLY HAZARDOUS

14.3.	Transport hazard class(es)
ADR	
Transp	ort hazard class(es) (ADR)

Transport hazard class(es) (ADR) Danger labels (ADR) :3 :3



#### IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG) : 3 : 3



#### ΙΑΤΑ

Transport hazard class(es) (IATA) Hazard labels (IATA)

: 3 : 3



### ADN

Transport hazard class(es) (ADN) Danger labels (ADN)





Safety Data Sheet

RID	
Transport hazard class(es) (RID)	
Danger labels (RID)	



: 3 : 3

14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: Yes

Marine pollutant	: Yes
Other information	: No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR)	: F1
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	33 1262
Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE
- Transport by sea	
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
(-I <sup>-</sup> - <b>J</b> - /	

Safety Data Sheet

Salety Data Sheet	
Stowage category (IMDG)	: B
MFAG-No	: 128
- Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3H
- Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

n-OCTANE For Synthesis is not on the REACH Candidate List n-OCTANE For Synthesis is not on the REACH Annex XIV List

#### 15.1.2. National regulations

Safety Data Sheet

#### Germany

AwSV/VwVwS Annex reference	: Water hazard class (WGK) 2, hazardous to water (KBwS-Beschluss; WGK No 479)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

#### No additional information available

#### **SECTION 16: Other information**

#### Full text of R-, H- and EUH-phrases:

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H410	Very toxic to aquatic life with long lasting effects
R11	Highly flammable
R38	Irritating to skin
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
Ν	Dangerous for the environment
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product