CAS-No.: 109-66-0 MSDS



# MATERIAL SAFETY DATA SHEET (MSDS)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

:

CAS-No. : 109-66-0 Product code : 0238B

Chemical structure : CH<sub>3</sub>(CH<sub>2</sub>)<sub>3</sub>CH<sub>3</sub>

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

## 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Specific target organ H336

toxicity — Single exposure, Category 3,

Narcosis

Aspiration hazard, H304

Category 1

Hazardous to the aquatic H411

environment — Chronic Hazard, Category 2

Full text of hazard classes and H-statements : see section 16

www.Labogens.com 13/04/2016 1/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F+; R12 Xn; R65 N; R51/53 R66 R67

Full text of R-phrases: see section 16

# Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GH

GHS08 GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof equipment.

P261 - Avoid breathing vapours, dust, fume, gas. P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a POISON CENTRE or doctor if you feel unwell.

P331 - Do NOT induce vomiting.

P370+P378 - In case of fire: Use media other than water to extinguish.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# 2.3. Other hazards

No additional information available

www.Labogens.com 13/04/2016 2/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name : n-PENTANE FOR HPLC & SPECTROSCOPY

CAS-No. : 109-66-0

Full text of R- and H-statements: see section 16

#### 3.2. Mixtures

Not applicable

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Get medical advice/attention. Wash with plenty of water/....

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Immediately call a POISON CENTER/doctor. Rinse mouth.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media : Do not use extinguishing media containing water.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

# 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

# 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

www.Labogens.com 13/04/2016 3/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Collect spillage.

#### 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: Handle empty containers with care because residual vapours are flammable.

: Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Do not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear Colorless.

Odour : mild odor,gasoline-like,pleasant odor.

Odour threshold : No data available

pH : No data available

www.Labogens.com 13/04/2016 4/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative evaporation rate (butylacetate=1) : 28.6

Melting point : -130 °C

Freezing point : No data available

Boiling point : 35 - 36 °C

Flash point : -49 °C

Auto-ignition temperature : 260 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Extremely flammable liquid and vapour.

Vapour pressure : 579 hPa at 20 °C

Relative vapour density at 20 °C : 2.5

Relative density : No data available

Density : 0.62 g/cm³

Solubility : Water: 0.04 % at 20°C

Log Pow : 3.39

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.014 - 0.083 vol %

## 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

# 10.4. Conditions to avoid

Sparks. Heat. Open flame.

#### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

May release flammable gases.

www.Labogens.com 13/04/2016 5/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Additional information : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

# 12.2. Persistence and degradability

n-PENTANE FOR HPLC & SPECTROSCOPY (109-66-0)	
Persistence and degradability	May cause long-term adverse effects in the environment.

# 12.3. Bioaccumulative potential

n-PENTANE FOR HPLC & SPECTROSCO	TANE FOR HPLC & SPECTROSCOPY (109-66-0)	
Log Pow	3.39	

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

No additional information available

www.Labogens.com 13/04/2016 6/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Hazardous waste due to toxicity.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

# 14.1. UN number

UN-No. (ADR) : 1265 UN-No. (IMDG) : 1265 UN-No. (IATA) : 1265 UN-No. (ADN) : 1265 UN-No. (RID) : 1265

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : PENTANES
Proper Shipping Name (IMDG) : PENTANES
Proper Shipping Name (IATA) : Pentanes
Proper Shipping Name (ADN) : PENTANES
Proper Shipping Name (RID) : PENTANES

Transport document description (ADR) : UN 1265 PENTANES, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS Transport document description (IMDG) : UN 1265 PENTANES, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (IATA) : UN 1265 Pentanes, 3, II, ENVIRONMENTALLY HAZARDOUS : UN 1265 PENTANES, 3, II, ENVIRONMENTALLY HAZARDOUS : UN 1265 PENTANES, 3, II, ENVIRONMENTALLY HAZARDOUS : UN 1265 PENTANES, 3, II, ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



#### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



# **IATA**

Transport hazard class(es) (IATA) : 3

www.Labogens.com 13/04/2016 7/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard labels (IATA) : 3



#### ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



#### RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



# 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

#### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

: TP1

# 14.6. Special precautions for user

# - Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Special packing provisions (ADR) : B8

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : L1.5BN Vehicle for tank carriage : FL

www.Labogens.com 13/04/2016 8/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport category (ADR) : 2

Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

33

Tunnel restriction code (ADR) : D/E EAC code : 3YE

- Transport by sea

: 1 L Limited quantities (IMDG) Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-F : S-D EmS-No. (Spillage) Stowage category (IMDG) : E

: Colourless liquids with a paraffin-like odour. Explosive limits: 1.4% to 8%. normal-Properties and observations (IMDG)

PENTANE: boiling point 36°C. Immiscible with water . Slightly irritating to skin, eyes

and mucous membranes. Narcotic in high concentrations.

MFAG-No : 128

- Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 : 60L CAO max net quantity (IATA) ERG code (IATA) : 3H

- Inland waterway transport

Classification code (ADN) : F1 Limited quantities (ADN) : 1 L Excepted quantities (ADN) : E2 : T Carriage permitted (ADN)

Equipment required (ADN) : PP, EX, A : VE01 Ventilation (ADN) Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1 Limited quantities (RID) : 1L Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Special packing provisions (RID) : B8 Mixed packing provisions (RID) : MP19 Portable tank and bulk container : T4

instructions (RID)

13/04/2016 9/11 www.Labogens.com

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container special

provisions (RID)

: L1.5BN

: TP1

Tank codes for RID tanks (RID) Transport category (RID) : 2 : CE7 Colis express (express parcels) (RID) Hazard identification number (RID) : 33

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

# **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

n-PENTANE FOR HPLC & SPECTROSCOPY is not on the REACH Candidate List n-PENTANE FOR HPLC & SPECTROSCOPY is not on the REACH Annex XIV List

#### 15.1.2. National regulations

#### Germany

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

# **Netherlands**

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen -

Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

#### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

#### **Chemical safety assessment**

No additional information available

#### **SECTION 16: Other information**

13/04/2016 10/11 www.Labogens.com

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# Full text of R-, H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
R12	Extremely flammable
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
F+	Extremely flammable
N	Dangerous for the environment
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 13/04/2016 11/11