N-VALERIC ACID FOR SYNTHESIS 98% MSDS

CAS-No.: 109-52-4 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

CAS-No. : 109-52-4 Product code : 6464D

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H314
Category 1B
Hazardous to the aquatic environment — Chronic
Hazard, Category 3

Full text of H statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

C; R34 R52/53

Full text of R-phrases: see section 16

www.Labogens.com 25/02/2019 1/10

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : n-VALERIC ACID FOR SYNTHESIS 98%

CAS-No. : 109-52-4

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/doctor.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a POISON CENTER/doctor.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

www.Labogens.com 25/02/2019 2/10

Safety Data Sheet

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Harmful to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up immediately by sweeping or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

www.Labogens.com 25/02/2019 3/10

Safety Data Sheet

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Approved supplied air respirator

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 102.13 g/mol
Colour : Clear Colorless.

Odour : pungent odour.

Odour threshold : No data available

pH : 2.7

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -20 - -18

Freezing point : No data available

Boiling point : 110 - 111 °C

Flash point : 96 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 0.2 hPa at 20 °C

Relative vapour density at 20 °C : 3.53

Relative density : No data available

Density : 0.939 g/cm³

Solubility : Water: 40 g/l at 20 °C

Log Pow : 1.39

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.016 - 0.076 vol %

9.2. Other information

No additional information available

www.Labogens.com 25/02/2019 4/10

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. High temperature. Heat. Overheating.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 2.7

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 2.7

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

www.Labogens.com 25/02/2019 5/10

Safety Data Sheet

12.2. Persistence and degradability

n-VALERIC ACID FOR SYNTHESIS 98% (109-52-4)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

n-VALERIC ACID FOR SYNTHESIS 98% (109-52-4)	
Log Pow	1.39

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 3265 UN-No. (IMDG) : 3265 UN-No. (IATA) : 3265 UN-No. (ADN) : 3265 UN-No. (RID) : 3265

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Proper Shipping Name (IATA) : Corrosive liquid, acidic, organic, n.o.s.

Proper Shipping Name (ADN) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. Proper Shipping Name (RID) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Transport document description (ADR) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, II, (E)
Transport document description (IMDG) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, II

Transport document description (IATA) : UN 3265 Corrosive liquid, acidic, organic, n.o.s., 8, II

Transport document description (ADN) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, II

Transport document description (RID) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8

www.Labogens.com 25/02/2019 6/10

Safety Data Sheet



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

www.Labogens.com 25/02/2019 7/10

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C3
Special provisions (ADR) : 274
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container : T11

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP2, TP27

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80

Orange plates

80 3265

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

- Transport by sea

Special provisions (IMDG) : 274

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T11

Tank special provisions (IMDG) : TP2, TP27

EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): BStowage and handling (IMDG): SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

MFAG-No : 153

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity : 0.5L

(IATA)

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3, A803
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C3
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2

www.Labogens.com 25/02/2019 8/10

Safety Data Sheet

Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C3
Special provisions (RID) : 274
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15

Portable tank and bulk container : T11

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : L4BN

Transport category (RID) : 2

Colis express (express parcels) (RID) : CE6

Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP2, TP27

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

n-VALERIC ACID FOR SYNTHESIS 98% is not on the REACH Candidate List n-VALERIC ACID FOR SYNTHESIS 98% is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to

AwSV; ID No. 5869)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve liist van voor de : The substance is not listed

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen –

Vruchtbaarheid

NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen – Ontwikkeling

www.Labogens.com 25/02/2019 9/10

Safety Data Sheet

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management

guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H314	Causes severe skin burns and eye damage.
H412	Harmful to aquatic life with long lasting effects.
R34	Causes burns
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
С	Corrosive

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 25/02/2019 10/10