**CAS No: 111-26-2 MSDS** 



# **MATERIAL SAFETY DATA SHEET (MSDS)**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Substance

:

EC no : 203-851-8
CAS No : 111-26-2
Product code : 4054J
Formula : C6H15N

Chemical structure :  $CH_3(CH_2)_4CH_2NH_2$ 

Synonyms : 1-Aminohexane

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial; For professional use only

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

## 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226

Category 3

ПZZ

Acute toxicity (oral),

H301

Category 3

.....

Acute toxicity (dermal),

H311

Category 3

Skin corrosion/irritation, H314

Category 1B

Full text of classification categories and H statements : see section 16

www.Labogens.com 08/07/2016 1/11

## Safety Data Sheet

## Classification according to Directive 67/548/EEC or 1999/45/EC

T; R24 Xn; R22 C; R35 R10

Full text of R-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS05



GHS02

GHS06

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H301+H311 - Toxic if swallowed or in contact with skin H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/... P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER/doctor/...

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

## 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substance

Name	Product identifier	%
N-HEXYLAMINE EXTRA PURE	(CAS No) 111-26-2 (EC no) 203-851-8	100

Full text of R- and H-phrases: see section 16

## 3.2. Mixture

Not applicable

www.Labogens.com 08/07/2016 2/11

## Safety Data Sheet

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical advice/attention.

First-aid measures after skin contact : Wash with plenty of soap and water. Remove affected clothing and wash all exposed

skin area with mild soap and water, followed by warm water rinse. Get medical

advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a POISON CENTER or doctor/physician if

you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray. Unsuitable extinguishing media : Do not use extinguishing media containing water.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when

fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers.

## 6.4. Reference to other sections

No additional information available

www.Labogens.com 08/07/2016 3/11

## Safety Data Sheet

## **SECTION 7: Handling and storage**

## Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable. Precautions for safe handling : No naked lights. No smoking. Take precautionary measures against static discharge.

Use only non-sparking tools.

Hygiene measures Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

## Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use only

non-sparking tools. Use explosion-proof electrical/ventilating/lighting/... equipment.

Storage conditions : Keep container tightly closed. Keep in fireproof place.

Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

No additional information available

#### 8.2. **Exposure controls**

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses Skin and body protection : Wear suitable protective clothing

: Wear respiratory protection Respiratory protection

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1.

Physical state : Liquid

Colour : Colourless.

Odour : No data available

Odour threshold : No data available

: 11.6 at 10g/l at 20°C pН

Relative evaporation rate (butylacetate=1) : No data available

: -23 °C Melting point

Freezing point : No data available

Boiling point : 131 - 132 °C

: 27 °C Flash point

: No data available Auto-ignition temperature

08/07/2016 4/11 www.Labogens.com

## Safety Data Sheet

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour

Vapour pressure : 10.6 hPa

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 0.766 g/cm³ at 25°C Solubility : No data available

Log Pow : 1.9

Viscosity, kinematic : 1.07 mm²/s at 23°C

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

## 10.5. Incompatible materials

Oxidizing agent. Strong acids.

## 10.6. Hazardous decomposition products

No additional information available

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 11.6 at 10g/l at 20°C

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 11.6 at 10g/l at 20°C

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

www.Labogens.com 08/07/2016 5/11

## Safety Data Sheet

Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

(Single . Not class

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

## **N-HEXYLAMINE EXTRA PURE (111-26-2)**

Viscosity, kinematic 1.07 mm²/s at 23°C

## **SECTION 12: Ecological information**

## 12.1. Toxicity

No additional information available

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

N-HEXYLAMINE EXTRA PURE (111-26-2	)
Log Pow	19

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

No additional information available

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

## 14.1. UN number

UN-No. (ADR) : 2734

www.Labogens.com 08/07/2016 6/11

## Safety Data Sheet

UN-No. (IMDG) : 2734 UN-No.(IATA) : 2734 UN-No.(ADN) : 2734 UN-No. (RID) : 2734

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. / POLYAMINES, LIQUID,

CORROSIVE, FLAMMABLE, N.O.S.

Proper Shipping Name (IMDG) : AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.
Proper Shipping Name (IATA) : AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.
Proper Shipping Name (ADN) : AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.
Proper Shipping Name (RID) : AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.

Transport document description (ADR) : UN 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. / POLYAMINES,

LIQUID, CORROSIVE, FLAMMABLE, N.O.S., 8 (3), I, (D/E)

Transport document description (IMDG) : UN 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S., 8 (3), I Transport document description (ADN) : UN 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S., 8 (3), I Transport document description (RID) : UN 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S., 8 (3), I Transport document description (RID) : UN 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S., 8 (3), I

## 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 8 (3)
Danger labels (ADR) : 8, 3



#### **IMDG**

Transport hazard class(es) (IMDG) : 8 (3)
Danger labels (IMDG) : 8, 3



## **IATA**

Transport hazard class(es) (IATA) : 8 (3) Hazard labels (IATA) : 8, 3



## ADN

Transport hazard class(es) (ADN) : 8 (3)
Danger labels (ADN) : 8, 3

www.Labogens.com 08/07/2016 7/11

## Safety Data Sheet



RID

Transport hazard class(es) (RID) : 8 (3) Danger labels (RID) : 8, 3



14.4. **Packing group** 

Packing group (ADR) : 1 Packing group (IMDG) : 1 Packing group (IATA) : 1 Packing group (ADN) Packing group (RID) : 1

## **Environmental hazards**

: No Dangerous for the environment Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

## - Overland transport

Classification code (ADR) : CF1 Special provision (ADR) : 274 Limited quantities (ADR) : 0 Excepted quantities (ADR) : E0 Packing instructions (ADR) : P001 Mixed packing provisions (ADR) : MP8, MP17 : T14

Portable tank and bulk container

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP2, TP27

: L10BH Tank code (ADR) Vehicle for tank carriage : FL Transport category (ADR) : 1 Special provisions for carriage - Operation : S2, S14

(ADR)

Hazard identification number (Kemler No.) : 883

Orange plates

883

Tunnel restriction code (ADR) : D/E EAC code : •2W APP code : A(fl)

- Transport by sea

Special provision (IMDG) : 274

08/07/2016 8/11 www.Labogens.com

## Safety Data Sheet

Limited quantities (IMDG) : 0

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P001

Tank instructions (IMDG) : T14

Tank special provisions (IMDG) : TP2, TP27
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-C
Stowage category (IMDG) : A
Segregation (IMDG) : SG35

#### - Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : 850
PCA max net quantity (IATA) : 0.5L
CAO packing instructions (IATA) : 854
CAO max net quantity (IATA) : 2.5L
ERG code (IATA) : 8F

## - Inland waterway transport

Classification code (ADN) : CF1
Special provisions (ADN) : 274
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

## - Rail transport

Classification code (RID) : CF1
Special provision (RID) : 274
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P001
Mixed packing provisions (RID) : MP8, MP17
Portable tank and bulk container : T14

instructions (RID)

Portable tank and bulk container special : TP2, TP27

provisions (RID)

Tank codes for RID tanks (RID) : L10BH
Special provisions for RID tanks (RID) : TU38, TE22

Transport category (RID) : 1
Hazard identification number (RID) : 883

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

N-HEXYLAMINE EXTRA PURE is not on the REACH Candidate List

www.Labogens.com 08/07/2016 9/11

## Safety Data Sheet

N-HEXYLAMINE EXTRA PURE is not on the REACH Annex XIV List

## 15.1.2. National regulations

## Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 1615)

Immission Control Act - 12.BlmSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H301+H311;H314>; Emergency management guidelines for the storage

of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

## **Chemical safety assessment**

No additional information available

## **SECTION 16: Other information**

## Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
R10	Flammable
R22	Harmful if swallowed
R24	Toxic in contact with skin
R35	Causes severe burns
С	Corrosive
Т	Toxic
Xn	Harmful

10/11 08/07/2016 www.Labogens.com

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 08/07/2016 11/11