O-PHENYLENEDIAMINE FOR SYNTHESIS MSDS

CAS No: 95-54-5 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

EC index no : 612-145-00-2
EC no : 202-430-6
CAS No : 95-54-5
Product code : 05207

Chemical structure

NH₂

Synonyms : OPD / 1,2-Diaminobenzene / 1,2-Phenylenediamine

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301

Category 3

Acute toxicity (dermal), H312

Category 4

Acute toxicity (inhal.), H332

Category 4

Serious eye damage/eye H319

irritation, Category 2

www.Labogens.com 09/04/2015 1/11

Safety Data Sheet

Sensitisation — Skin,

H317

category 1

Germ cell mutagenicity, H341

Category 2

Carcinogenicity, Category H351

Hazardous to the aquatic H410 environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

T; N; Carc.Cat.3; Muta.Cat.3; R20/21-25-36-43-50/53-68

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS06

GHS08

GHS09

Signal word (CLP) : Danger

: H301 - Toxic if swallowed Hazard statements (CLP)

H312+H332 - Harmful in contact with skin or if inhaled

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P273 - Avoid release to the environment

> P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P501 - Dispose of contents/container to ...

Other hazards

No additional information available

09/04/2015 2/11 www.Labogens.com

Safety Data Sheet

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : o-PHENYLENEDIAMINE FOR SYNTHESIS

CAS No : 95-54-5 EC no : 202-430-6 EC index no : 612-145-00-2

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Suspected of causing cancer.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Specific measures (see ... on this label). Wash with plenty of soap and water. Wash contaminated clothing

before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific

treatment (see ... on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth. Obtain emergency medical attention. Immediately call a POISON

CENTER or doctor/physician. Specific treatment (see ... on this label).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Suspected of causing genetic defects.

Symptoms/injuries after inhalation : May cause an allergic skin reaction.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before

use. Use personal protective equipment as required. Do not handle until all safety

precautions have been read and understood.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

Protect from moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Colour : Brownish yellow.

Odour : acetic odor.

Odour threshold : No data available

pH : 8.7

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 100 - 102

Freezing point : No data available

Boiling point : 256 - 258

Flash point : 136 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 0.01 mm Hg at 250C

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 1.03 g/cm³

Solubility : Water: Soluble in water

Log Pow : 0.15

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : ≥ 0.015 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

10.5. Incompatible materials

No additional information available

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if

inhaled.

Skin corrosion/irritation : Not classified

pH: 8.7

Serious eye damage/irritation : Causes serious eye irritation.

pH: 8.7

Respiratory or skin sensitisation

: May cause an allergic skin reaction.: Suspected of causing genetic defects.

Germ cell mutagenicity

Carcinogenicity

: Suspected of causing cancer.

Reproductive toxicity
Specific target organ toxicity (single

exposure)

Not classifiedNot classified

Specific target organ toxicity (repeated exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful in contact with skin. Toxic if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

o-PHENYLENEDIAMINE FOR SYNTHESIS (95-54-5)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

o-PHENYLENEDIAMINE FOR SYNTHESIS (95-54-5)

Log Pow 0.15

12.4. Mobility in soil

No additional information available

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Ecology - waste materials

: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1673 UN-No. (IMDG) : 1673 UN-No.(IATA) : 1673 UN-No.(ADN) : 1673 UN-No. (RID) : 1673

14.2. UN proper shipping name

Proper Shipping Name (ADR) : PHENYLENEDIAMINES (O-, M-, P-)
Proper Shipping Name (IMDG) : PHENYLENEDIAMINES (o-, m-, p-)

Proper Shipping Name (IATA) : PHENYLENEDIAMINES

Proper Shipping Name (ADN) : PHENYLENEDIAMINES (o-, m-, p-)
Proper Shipping Name (RID) : PHENYLENEDIAMINES (o-, m-, p-)

Transport document description (ADR) : UN 1673 PHENYLENEDIAMINES (O-, M-, P-), 6.1, III, (E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 1673 PHENYLENEDIAMINES (o-, m-, p-), 6.1, III, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 1673 PHENYLENEDIAMINES, 6.1, III, ENVIRONMENTALLY HAZARDOUS Transport document description (ADN) : UN 1673 PHENYLENEDIAMINES (o-, m-, p-), 6.1, III, ENVIRONMENTALLY

HAZARDOUS

Transport document description (RID) : UN 1673 PHENYLENEDIAMINES (o-, m-, p-), 6.1, III, ENVIRONMENTALLY

HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1
Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T2
Special provision (ADR) : 279
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

www.Labogens.com 09/04/2015 8/11

Safety Data Sheet

Mixed packing provisions (ADR) : MP10 Portable tank and bulk container : T1

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: SGAH, L4BH

: TP33

Tank code (ADR) Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT Transport category (ADR) : 2

Special provisions for carriage - Bulk : VC1, VC2, AP7

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

Special provisions for carriage - Operation : S9

(ADR) Hazard identification number (Kemler No.) : 60

Orange plates

60 1673

Tunnel restriction code (ADR) : E EAC code : 2X

- Transport by sea

Special provision (IMDG) : 279 Limited quantities (IMDG) : 5 kg Excepted quantities (IMDG) : E1

: P002. LP02 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3 Tank instructions (IMDG) : T1 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-A : A Stowage category (IMDG) MFAG-No : 153

- Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y645 PCA limited quantity max net quantity : 10kg

(IATA)

PCA packing instructions (IATA) : 670 PCA max net quantity (IATA) : 100kg CAO packing instructions (IATA) : 677 CAO max net quantity (IATA) : 200kg Special provision (IATA) : A113 ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T2 Special provisions (ADN) : 279, 802 Limited quantities (ADN) : 5 kg Excepted quantities (ADN) : E1 Equipment required (ADN) : PP, EP Number of blue cones/lights (ADN) : 0

09/04/2015 9/11 www.Labogens.com

Safety Data Sheet

- Rail transport

Classification code (RID) : T2
Special provision (RID) : 279
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAH, L4BH Special provisions for RID tanks (RID) : TU15

Transport category (RID) : 2

Special provisions for carriage – Bulk

(RID)

: VC1, VC2, AP7

Special provisions for carriage – Loading

and unloading (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

o-PHENYLENEDIAMINE FOR SYNTHESIS is not on the REACH Candidate List o-PHENYLENEDIAMINE FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according

to VwVwS, Annex 2; WGK No 821)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

www.Labogens.com 09/04/2015 10/11

Safety Data Sheet

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

| · · · · · · · · · · · · · · · · · · · | |
|---------------------------------------|---|
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Carc. 2 | Carcinogenicity, Category 2 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Muta. 2 | Germ cell mutagenicity, Category 2 |
| Skin Sens. 1 | Sensitisation — Skin, category 1 |
| H301 | Toxic if swallowed |
| H312 | Harmful in contact with skin |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H341 | Suspected of causing genetic defects |
| H351 | Suspected of causing cancer |
| H410 | Very toxic to aquatic life with long lasting effects |
| Т | Toxic |
| | |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11