


CAS No: 106-50-3 MSDS

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
:  
EC index no : 612-028-00-6  
EC no : 203-404-7  
CAS No : 106-50-3  
Product code : 05209  
Chemical structure :



Synonyms : 1,4-Diaminobenzene / 1,4-Benzenediamine / 1,4-Phenylenediamine

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries  
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,  
Ludhiana Pb. (141007)  
+91 9316777775, +91 7707855700  
[sales@labogens.com](mailto:sales@labogens.com) - [www.Labogens.com](http://www.Labogens.com)

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 3 H301  
Acute toxicity (dermal), Category 3 H311  
Acute toxicity (inhal.), Category 3 H331  
Serious eye damage/eye irritation, Category 2 H319  
Sensitisation — Skin, category 1 H317  
Hazardous to the aquatic H410

# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

environment — Chronic  
Hazard, Category 1

Full text of classification categories and H statements : see section 16

### Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/24/25

Xi; R36

R43

N; R50/53

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS06

GHS09

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray  
P273 - Avoid release to the environment  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P311 - Call a POISON CENTER or doctor/physician

## 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : p-PHENYLENEDIAMINE Extra Pure  
CAS No : 106-50-3  
EC no : 203-404-7  
EC index no : 612-028-00-6

# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

Full text of R- and H-phrases: see section 16

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Immediately call a POISON CENTER or doctor/physician. Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Specific measures (see ... on this label). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see ... on this label).
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Obtain emergency medical attention. Immediately call a POISON CENTER or doctor/physician. Specific treatment (see ... on this label).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May cause an allergic skin reaction.
Symptoms/injuries after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
--------------------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

#### 6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Ventilate area.

### 6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : protective gloves  
Eye protection : Chemical goggles or safety glasses  
Skin and body protection : Wear suitable protective clothing  
Respiratory protection : Wear respiratory protection

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid  
Molecular mass : 108.14 g/mol  
Colour : white.  
Odour : No data available  
Odour threshold : No data available  
pH : 9 at 50 g/l at 20 °C  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : 138 - 143  
Freezing point : No data available  
Boiling point : 267 °C

# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

Flash point	: 155.56 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: 3.71
Relative density	: No data available
Solubility	: Water: 10 g/l at 20 °C
Log Pow	: 0.25
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: ≥ 0.015 vol %

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Direct sunlight. Air contact. Moisture.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.

Skin corrosion/irritation : Not classified  
pH: 9 at 50 g/l at 20 °C

# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

Serious eye damage/irritation	: Causes serious eye irritation. pH: 9 at 50 g/l at 20 °C
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Toxic if swallowed. Toxic in contact with skin.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

##### p-PHENYLENEDIAMINE Extra Pure (106-50-3)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

#### 12.3. Bioaccumulative potential

##### p-PHENYLENEDIAMINE Extra Pure (106-50-3)

Log Pow	0.25
---------	------

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to ...
Ecology - waste materials	: Hazardous waste due to toxicity.

# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR)	: 1673
UN-No. (IMDG)	: 1673
UN-No.(IATA)	: 1673
UN-No.(ADN)	: 1673
UN-No. (RID)	: 1673

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: PHENYLENEDIAMINES (O-, M-, P-)
Proper Shipping Name (IMDG)	: PHENYLENEDIAMINES (o-, m-, p-)
Proper Shipping Name (IATA)	: PHENYLENEDIAMINES
Proper Shipping Name (ADN)	: PHENYLENEDIAMINES (o-, m-, p-)
Proper Shipping Name (RID)	: PHENYLENEDIAMINES (o-, m-, p-)
Transport document description (ADR)	: UN 1673 PHENYLENEDIAMINES (O-, M-, P-), 6.1, III, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1673 PHENYLENEDIAMINES (o-, m-, p-), 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1673 PHENYLENEDIAMINES, 6.1, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1673 PHENYLENEDIAMINES (o-, m-, p-), 6.1, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1673 PHENYLENEDIAMINES (o-, m-, p-), 6.1, III, ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1



##### IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1



##### IATA

Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1



# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

### ADN

Transport hazard class(es) (ADN) : 6.1

Danger labels (ADN) : 6.1



### RID

Transport hazard class(es) (RID) : 6.1

Danger labels (RID) : 6.1



### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : T2

Special provision (ADR) : 279

Limited quantities (ADR) : 5kg

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1

Portable tank and bulk container special provisions (ADR) : TP33

Tank code (ADR) : SGAH, L4BH

Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP7

Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28



# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

Special provisions for carriage - Operation (ADR) : S9

Hazard identification number (Kemler No.) : 60

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 2X

### - Transport by sea

Special provision (IMDG) : 279

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-A

Stowage category (IMDG) : A

MFAG-No : 153

### - Air transport

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y645

PCA limited quantity max net quantity (IATA) : 10kg

PCA packing instructions (IATA) : 670

PCA max net quantity (IATA) : 100kg

CAO packing instructions (IATA) : 677

CAO max net quantity (IATA) : 200kg

Special provision (IATA) : A113

ERG code (IATA) : 6L

### - Inland waterway transport

Classification code (ADN) : T2

Special provisions (ADN) : 279, 802

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

### - Rail transport

Classification code (RID) : T2

Special provision (RID) : 279

Limited quantities (RID) : 5kg

Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1

Portable tank and bulk container special provisions (RID) : TP33

# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

Tank codes for RID tanks (RID)	: SGAH, L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP7
Special provisions for carriage – Loading and unloading (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 60

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

p-PHENYLENEDIAMINE Extra Pure is not on the REACH Candidate List

p-PHENYLENEDIAMINE Extra Pure is not on the REACH Annex XIV List

#### 15.1.2. National regulations

##### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 3, strongly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 1594)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
-----------------------	-------------------------------------

# p-PHENYLENEDIAMINE Extra Pure

## Safety Data Sheet

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
H301	Toxic if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H410	Very toxic to aquatic life with long lasting effects
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R36	Irritating to eyes
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
T	Toxic
Xi	Irritant

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*