CAS No: 75-65-0 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form	: Substance
	:
EC index no	: 603-005-00-1
EC no	: 200-889-7
CAS No	: 75-65-0
Product code	: 00059
Chemical structure	H ₃ C
	- \
	H₃C→─OH
	H ₃ Ć
	C C
0	

Synonyms

: 2-Methyl-2-propanol / Trimethyl carbinol / tert-Butyl alcohol

1.2.1. Relevant identified uses

Use of the substance/mixture

: Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number

: +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids,	H225
Category 2	
Acute toxicity (inhal.),	H332
Category 4	
Serious eye damage/eye	H319
irritation, Category 2	
Specific target organ	H335
toxicity — Single	
exposure, Category 3,	
Respiratory tract irritation	

www.Labogens.com

Safety Data Sheet

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 Xn; R20 Xi; R36/37 Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

2.2. Label elements	
Labelling according to Regulation (E	C) No. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07
Signal word (CLP)	:-
Hazard statements (CLP)	 H225 - Highly flammable liquid and vapour H319 - Causes serious eye irritation H332 - Harmful if inhaled H335 - May cause respiratory irritation
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting/ equipment P261 - Avoid breathing dust/fume/gas/mist/vapours/spray P264 - Wash thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER/doctor/ if you feel unwell P337+P313 - If eye irritation persists: Get medical advice/attention P370+P378 - In case of fire: Use to extinguish P403+P235 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to

3.1. Substance		
Name	: tert-BUTANOL For Synthesis	
CAS No	: 75-65-0	
EC no	: 200-889-7	
EC index no	: 603-005-00-1	

Full text of R- and H-phrases: see section 16

3.2.	Mixture		
Not applicable			
Νοι αρ	plicable		

SECTION 4: First aid measures	
4.1. Description of first aid measures	\$
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.
4.2. Most important symptoms and e	effects, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate med	dical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	, dry chamical neurodar, alaphal registrant form, carbon diavida (CO2)
C C	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
E 2 Advice for fireficktore	
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
SECTION 6: Accidental release measures	s .
	e equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.

tert-BUTANOL For Synthesis Safety Data Sheet

6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Stop release.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	ainment and cleaning up
Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: No naked lights. No smoking. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash thoroughly after handling.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	 Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment.
Storage conditions	: Keep in fireproof place. Keep container tightly closed. Store in a well-ventilated place.
Incompatible materials	: Heat sources.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/person	al protection

8.1. **Control parameters**

8.2. Exposure controls			
Hand protection	: protective gloves		
Eye protection	: Chemical goggles or safety glasses		
Skin and body protection	: Wear suitable protective clothing		
Respiratory protection	: Wear appropriate mask		
SECTION 9: Physical and chemical properties			
9.1. Information on basic physical	and chemical properties		
Physical state	: Liquid		
Colour	: Clear Colorless.		

Safety Data Sheet

-	
Odour threshold	: No data available
рН	: 7
Relative evaporation rate (butylacetate=1)	: 1.05
Melting point	: 23 - 26
Freezing point	: No data available
Boiling point	: 83 °C
Flash point	: 11 °C
Auto-ignition temperature	: 480 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable Highly flammable liquid and vapour
Vapour pressure	: 41 hPa at 20 °C
Relative vapour density at 20 °C	: 2.6
Relative density	: No data available
Density	: 0.78 g/cm³
Relative gas density Solubility	: 2.56 : Water: completely miscible
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 3.35 mPa.s @ 300C
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.024 - 0.08 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Direct sunlight. Overheating.

10.5. Incompatible materials

Safety Data Sheet

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Inhalation: Harmful if inhaled.		
Skin corrosion/irritation	: Not classified		
	pH: 7		
Serious eye damage/irritation	: Causes serious eye irritation.		
	pH: 7		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
. ,			
Aspiration hazard	: Not classified		
tert-BUTANOL For Synthesis (75-65-0)			
Viscosity, kinematic	4.29487179 mm ² /s		

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects				
No additional information available				
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Product/Packaging disposal	: Dispose of contents/container to			
recommendations Additional information	Llandla ampty containers with care because residual vanaurs are flammable			
	: Handle empty containers with care because residual vapours are flammable.			
SECTION 14: Transport information				
In accordance with ADR / RID / IMDG / IATA / ADN				
14.1. UN number				
UN-No. (ADR)	: 1120			
UN-No. (IMDG)	: 1120			
UN-No.(IATA)	: 1120			
UN-No.(ADN)	: 1120			
UN-No. (RID)	: 1120			
14.2. UN proper shipping name				
Proper Shipping Name (ADR)	: BUTANOLS			
Proper Shipping Name (IMDG)	: BUTANOLS			
Proper Shipping Name (IATA)	: BUTANOLS			
Proper Shipping Name (ADN)	: BUTANOLS			
Proper Shipping Name (RID)	: BUTANOLS			
Transport document description (ADR)	: UN 1120 BUTANOLS, 3, II, (D/E)			
Transport document description (IMDG)	: UN 1120 BUTANOLS, 3, II			
Transport document description (IATA)	: UN 1120 BUTANOLS, 3, II			
Transport document description (ADN)	: UN 1120 BUTANOLS, 3, II			
Transport document description (RID)	: UN 1120 BUTANOLS, 3, II			
14.3. Transport hazard class(es)				
ADR				
Transport hazard class(es) (ADR)	: 3			
Danger labels (ADR)	: 3			
	•			
IMDG				
Transport hazard class(es) (IMDG)	: 3			
Danger labels (IMDG)	: 3			



tert-BUTANOL For Synthesis Safety Data Sheet

Saloty Bata Shoot	
Transport hazard class(es) (IATA) Hazard labels (IATA)	: 3 : 3
	3
ADN	
Transport hazard class(es) (ADN)	: 3
Danger labels (ADN)	: 3
	3
	-
RID	
Transport hazard class(es) (RID) Danger labels (RID)	: 3 : 3
	3
14.4. Packing group	
Packing group (ADR) Packing group (IMDG)	: II : II
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: F1
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2

tert-BUTANOL For Synthesis Safety Data Sheet

1			
	Special provisions for carriage - Operation (ADR)	:	S2, S20
	Hazard identification number (Kemler No.)	:	33
	Orange plates		
	Grange plates	•	33
			1120
			1120
	Tunnel restriction code (ADR)		D/E
	EAC code	-	•2YE
		•	212
	- Transport by sea		
	Limited quantities (IMDG)	:	1 L
	Excepted quantities (IMDG)	:	E2
	Packing instructions (IMDG)	:	P001
	IBC packing instructions (IMDG)	:	IBC02
	Tank instructions (IMDG)		T4
	Tank special provisions (IMDG)		TP1, TP29
			F-E
	EmS-No. (Fire)		
	EmS-No. (Spillage)		S-D
	Stowage category (IMDG)		В
	MFAG-No	:	129
	- Air transport		
	PCA Excepted quantities (IATA)		E2
	PCA Limited quantities (IATA)		Y341
	PCA limited quantity max net quantity		
	(IATA)	:	IL
	PCA packing instructions (IATA)		353
			555 5L
	PCA max net quantity (IATA)		-
	CAO packing instructions (IATA)		364
	CAO max net quantity (IATA)		60L
	Special provision (IATA)		A3
	ERG code (IATA)	:	3L
	- Inland waterway transport		
	Classification code (ADN)		F1
	Limited quantities (ADN)	-	1L
	Excepted quantities (ADN)		E2
	Carriage permitted (ADN)	-	Τ
	Equipment required (ADN)		PP, EX, A
	Ventilation (ADN)		VE01
	Number of blue cones/lights (ADN)	:	1
	- Rail transport		
	Classification code (RID)		F1
	Limited quantities (RID)		1L
	Excepted quantities (RID)		E2
	Packing instructions (RID)		P001, IBC02, R001
	Mixed packing provisions (RID)		MP19
	Portable tank and bulk container	:	T4
	instructions (RID)		
	Portable tank and bulk container special provisions (RID)	:	TP1, TP29
	Tank codes for RID tanks (RID)		LGBF
	Transport category (RID)		2
	Colis express (express parcels) (RID)	:	CE7

Safety Data Sheet

Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

tert-BUTANOL For Synthesis is not on the REACH Candidate List tert-BUTANOL For Synthesis is not on the REACH Annex XIV List

15.1.2. National regulations

Germany			
AwSV/VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 219)		
12th Ordinance Implementing the Federal : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BImSchV			
Denmark			
Class for fire hazard	: Class I-1		
Store unit	: 1 liter		
Classification remarks	: F <flam. 2="" liq.="">; Emergency management guidelines for the storage of flammable liquids must be followed</flam.>		
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product		

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2			
Flam. Liq. 2	Flammable liquids, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
H225	Highly flammable liquid and vapour		
H319	Causes serious eye irritation		
H332	Harmful if inhaled		

Safety Data Sheet

H335	May cause respiratory irritation
R11	Highly flammable
R20	Harmful by inhalation
R36/37	Irritating to eyes and respiratory system
F	Highly flammable
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product