

TERT-BUTYL METHYL ETHER FOR SYNTHESIS MSDS

CAS No: 1634-04-4 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC index no : 603-181-00-X
EC no : 216-653-1
CAS No : 1634-04-4
Product code : 2386B
Formula : C5H12O

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225
Category 2
Skin corrosion/irritation, H315
Category 2

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11
Xi; R38

Full text of R-phrases: see section 16

tert-BUTYL METHYL ETHER FOR SYNTHESIS

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour
H315 - Causes skin irritation

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : tert-BUTYL METHYL ETHER FOR SYNTHESIS
CAS No : 1634-04-4
EC no : 216-653-1
EC index no : 603-181-00-X

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Give oxygen or artificial respiration if necessary. Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. If you feel unwell, seek medical advice.

tert-BUTYL METHYL ETHER FOR SYNTHESIS

Safety Data Sheet

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Avoid contact with skin and eyes. Use only non-sparking tools. Keep away from sources of ignition - No smoking. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/... equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible materials : Heat sources.

tert-BUTYL METHYL ETHER FOR SYNTHESIS

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

| | |
|--------------------------|--------------------------------------|
| Hand protection | : Protective gloves |
| Eye protection | : Chemical goggles or safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : Wear respiratory protection |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | : Liquid |
| Colour | : Clear Colorless. |
| Odour | : characteristic ethereal odor. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : -110 °C |
| Freezing point | : No data available |
| Boiling point | : 55 - 56 °C |
| Flash point | : -33 °C |
| Auto-ignition temperature | : 374 °C |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Flammable Highly flammable liquid and vapour |
| Vapour pressure | : 279.2 hPa at 20°C |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 0.74 g/cm ³ |
| Relative gas density | : 0.74 at 25 °C |
| Solubility | : Water: Insoluble in water |
| Log Pow | : 1.77 |

tert-BUTYL METHYL ETHER FOR SYNTHESIS

Safety Data Sheet

| | |
|----------------------|-----------------------|
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : 0.016 - 0.151 vol % |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|--|---------------------------|
| Acute toxicity | : Not classified |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : Not classified |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |

tert-BUTYL METHYL ETHER FOR SYNTHESIS

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

tert-BUTYL METHYL ETHER FOR SYNTHESIS (1634-04-4)

| | |
|---------|------|
| Log Pow | 1.77 |
|---------|------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

| | |
|---------------|-----------------|
| UN-No. (ADR) | : 2398 |
| UN-No. (IMDG) | : 2398 |
| UN-No.(IATA) | : 2398 |
| UN-No.(ADN) | : Not regulated |
| UN-No. (RID) | : Not regulated |

14.2. UN proper shipping name

| | |
|---------------------------------------|---|
| Proper Shipping Name (ADR) | : METHYL TERT-BUTYL ETHER |
| Proper Shipping Name (IMDG) | : METHYL tert-BUTYL ETHER |
| Proper Shipping Name (IATA) | : METHYL TERT-BUTYL ETHER |
| Proper Shipping Name (ADN) | : Not regulated |
| Proper Shipping Name (RID) | : Not regulated |
| Transport document description (ADR) | : UN 2398 METHYL TERT-BUTYL ETHER, 3, II, (D/E) |
| Transport document description (IMDG) | : UN 2398 METHYL tert-BUTYL ETHER, 3, II (< -18°C c.c.) |
| Transport document description (IATA) | : UN 2398 METHYL TERT-BUTYL ETHER, 3, II |

tert-BUTYL METHYL ETHER FOR SYNTHESIS

Safety Data Sheet

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3

Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3

Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3

Hazard labels (IATA) : 3



ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : Not regulated

Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1


Limited quantities (ADR) : 1L

Excepted quantities (ADR) : E2

tert-BUTYL METHYL ETHER FOR SYNTHESIS

Safety Data Sheet

| | |
|---|---------------------|
| Packing instructions (ADR) | : P001, IBC02, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T7 |
| Portable tank and bulk container special provisions (ADR) | : TP1 |
| Tank code (ADR) | : LGBF |
| Vehicle for tank carriage | : FL |
| Transport category (ADR) | : 2 |
| Special provisions for carriage - Operation (ADR) | : S2, S20 |
| Hazard identification number (Kemler No.) | : 33 |
| Orange plates | : |



| | |
|-------------------------------|--------|
| Tunnel restriction code (ADR) | : D/E |
| EAC code | : •3YE |

- Transport by sea

| | |
|---------------------------------|--------------------|
| Limited quantities (IMDG) | : 1 L |
| Excepted quantities (IMDG) | : E2 |
| Packing instructions (IMDG) | : P001 |
| IBC packing instructions (IMDG) | : IBC02 |
| Tank instructions (IMDG) | : T7 |
| Tank special provisions (IMDG) | : TP1 |
| EmS-No. (Fire) | : F-E |
| EmS-No. (Spillage) | : S-D |
| Stowage category (IMDG) | : E |
| Flash point (IMDG) | : below -18°C c.c. |
| MFAG-No | : 127 |

- Air transport

| | |
|--|--------|
| PCA Excepted quantities (IATA) | : E2 |
| PCA Limited quantities (IATA) | : Y341 |
| PCA limited quantity max net quantity (IATA) | : 1L |
| PCA packing instructions (IATA) | : 353 |
| PCA max net quantity (IATA) | : 5L |
| CAO packing instructions (IATA) | : 364 |
| CAO max net quantity (IATA) | : 60L |
| ERG code (IATA) | : 3L |

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

tert-BUTYL METHYL ETHER FOR SYNTHESIS

Safety Data Sheet

tert-BUTYL METHYL ETHER FOR SYNTHESIS is not on the REACH Candidate List

tert-BUTYL METHYL ETHER FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 2; WGK No 1200)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

| | |
|---------------|---------------------------------------|
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| H225 | Highly flammable liquid and vapour |
| H315 | Causes skin irritation |
| R11 | Highly flammable |
| R38 | Irritating to skin |
| F | Highly flammable |
| Xi | Irritant |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product