# ETHYLENE GLYCOL DIMETHYL ETHER EXTRA PURE MSDS

CAS-No.: 110-71-4 MSDS



### **MATERIAL SAFETY DATA SHEET (MSDS)**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

:

EC Index-No. : 603-031-00-3
EC-No. : 203-794-9
CAS-No. : 110-71-4
Product code : 03735
Formula : C4H10O2

Chemical structure : H<sub>3</sub>CO OCH<sub>3</sub>

Synonyms : Monoglyme / Dimethylglycol / mono-Glyme

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

#### 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225

Category 2

Acute toxicity (inhal.), H332

Category 4

Reproductive toxicity, H360FD

Category 1A

Full text of H statements : see section 16

www.Labogens.com 03/06/2016 1/11

### Safety Data Sheet

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Repr.Cat.2; R60 Repr.Cat.2; R61

F; R11 Xn; R20 R19

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS08

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H332 - Harmful if inhaled.

H360FD - May damage fertility. May damage the unborn child.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Name : ETHYLENE GLYCOL DIMETHYL ETHER Extra Pure

CAS-No. : 110-71-4 EC-No. : 203-794-9 EC Index-No. : 603-031-00-3

Full text of R- and H-statements: see section 16

#### 3.2. Mixtures

Not applicable

www.Labogens.com 03/06/2016 2/11

### Safety Data Sheet

### **SECTION 4:** First aid measures

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. Get medical advice/attention.

First-aid measures after skin contact : Wash with plenty of water/.... Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May damage the unborn child. May damage fertility.

Symptoms/effects after skin contact : Causes skin irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture. Heat may build pressure,

rupturing closed containers, spreading fire and increasing risk of burns and injuries.

May form explosive peroxides.

#### 5.3. Advice for firefighters

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area. Do not enter fire

area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

### 6.4. Reference to other sections

No additional information available

www.Labogens.com 03/06/2016 3/11

### Safety Data Sheet

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Hazardous waste due to potential risk of explosion.

Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools. Obtain special

instructions before use. Do not handle until all safety precautions have been read

and understood. Keep away from sources of ignition - No smoking.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment.

Storage conditions : Keep in fireproof place. Keep container tightly closed.

Incompatible products : Oxidizing agent. Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 90.12 g/mol Colour : Clear Colorless.

Odour : sharp, ethereal odor.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : 5

Melting point : -58 °C

Freezing point : No data available

Boiling point : 82 - 83

www.Labogens.com 03/06/2016 4/11

### Safety Data Sheet

Flash point : -2 °C

Auto-ignition temperature : 202 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable

Highly flammable liquid and vapour.

Vapour pressure : 64 hPa (at 20°C)

Relative vapour density at 20 °C : 3.1

Relative density : No data available

Density : 0.86 g/cm<sup>3</sup>

Solubility : Water: Miscible in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : 1.1 mPa·s 20 deg C

Explosive properties : May form explosive peroxides.

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

### 10.4. Conditions to avoid

Open flame. Direct sunlight. Heat. Sparks. Overheating.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

May release flammable gases. May form explosive peroxides.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Inhalation: Harmful if inhaled.

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

www.Labogens.com 03/06/2016 5/11

### Safety Data Sheet

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility. May damage the unborn child.

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

### ETHYLENE GLYCOL DIMETHYL ETHER Extra Pure (110-71-4)

Viscosity, kinematic 1.279 mm<sup>2</sup>/s

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### **ETHYLENE GLYCOL DIMETHYL ETHER Extra Pure (110-71-4)**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

Additional information

- : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion.

www.Labogens.com 03/06/2016 6/11

### Safety Data Sheet

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 2252 UN-No. (IMDG) : 2252 UN-No. (IATA) : 2252 UN-No. (ADN) : 2252 UN-No. (RID) : 2252

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : 1,2-DIMETHOXYETHANE
Proper Shipping Name (IMDG) : 1,2-DIMETHOXYETHANE
Proper Shipping Name (IATA) : 1,2-DIMETHOXYETHANE
Proper Shipping Name (ADN) : 1,2-DIMETHOXYETHANE
Proper Shipping Name (RID) : 1,2-DIMETHOXYETHANE

Transport document description (ADR) : UN 2252 1,2-DIMETHOXYETHANE, 3, II, (D/E)
Transport document description (IMDG) : UN 2252 1,2-DIMETHOXYETHANE, 3, II (1°C c.c.)

Transport document description (IATA) : UN 2252 1,2-Dimethoxyethane, 3, II

Transport document description (ADN) : UN 2252 1,2-DIMETHOXYETHANE, 3, II

Transport document description (RID) : UN 2252 1,2-DIMETHOXYETHANE, 3, II

### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



### **IMDG**

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



#### **IATA**

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



### ADN

Transport hazard class(es) (ADN) : 3

www.Labogens.com 03/06/2016 7/11

### Safety Data Sheet

Danger labels (ADN) : 3



RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation : S2, S20

(ADR)

Hazard identification number (Kemler No.) : 33

Orange plates

33 2252

Tunnel restriction code (ADR) : D/E EAC code : •2YE

- Transport by sea

Packing instructions (IMDG) : P001

www.Labogens.com 03/06/2016 8/11

### Safety Data Sheet

IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T4Tank special provisions (IMDG): TP1EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): BFlash point (IMDG): 1°C c.c.

Properties and observations (IMDG) : Colourless liquid with an ethereal odour. Flashpoint: 1°C c.c. Miscible with water.

MFAG-No : 127

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container : T4

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP1

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) is on the REACH Candidate List ETHYLENE GLYCOL DIMETHYL ETHER Extra Pure is not on the REACH Annex XIV List

www.Labogens.com 03/06/2016 9/11

### Safety Data Sheet

#### 15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, low hazard to water (Classification according to AwSV;

ID No. 5048)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

NIE I-IIMItatieve iljst van voor de

voortplanting giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen –

Vruchtbaarheid

a aiftige stoffen –

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: ETHYLENE GLYCOL DIMETHYL ETHER Extra Pure is listed

: ETHYLENE GLYCOL DIMETHYL ETHER Extra Pure is listed

**Denmark** 

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be

followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

### Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Flam. Liq. 2	Flammable liquids, Category 2
Repr. 1A	Reproductive toxicity, Category 1A
H225	Highly flammable liquid and vapour.
H332	Harmful if inhaled.
H360FD	May damage fertility. May damage the unborn child.
R11	Highly flammable
R19	May form explosive peroxides
R20	Harmful by inhalation
R60	May impair fertility

www.Labogens.com 03/06/2016 10/11

Safety Data Sheet

R61	May cause harm to the unborn child
F	Highly flammable
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 03/06/2016 11/11