CAS No: 107-19-7 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

EC index no : 603-078-00-X EC no : 203-471-2 CAS No : 107-19-7 Product code : 54720 Chemical structure

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

Uses advised against 1.2.2.

No additional information available

Details of the supplier of the safety data sheet

Labogens Fine Chem Industries

1st Floor, Above Bank of India, Guru Vihar, Rahon Road,

Ludhiana Pb. (141007)

+91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

Emergency telephone number

: +91 7707855700 (9:00am - 6:00 pm) **Emergency number**

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H226

Category 3

Acute toxicity (oral),

H301

Category 3

H311

Acute toxicity (dermal), Category 3

Acute toxicity (inhal.),

H331

Category 3

Skin corrosion/irritation,

H314

Category 1B

Hazardous to the aquatic H411

environment — Chronic Hazard, Category 2

09/04/2015 1/11 www.Labogens.com

Safety Data Sheet

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

T; R23/24/25 C; R34 N; R51/53 R10

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :









GHS02

GHS05

GHS06

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : PROPARGYL ALCOHOL FOR SYNTHESIS

CAS No : 107-19-7 EC no : 203-471-2 EC index no : 603-078-00-X

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. Immediately call a POISON CENTER or doctor/physician. Wash with

plenty of soap and water. Specific measures (see ... on this label). Wash

contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Specific

treatment (see ... on this label). Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : Toxic if inhaled.

Symptoms/injuries after skin contact : Toxic in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Toxic if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land,

: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Precautions for safe handling

: No naked lights. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product. Wash ... thoroughly after

Hygiene measures : Do not eat, drink or smoke when using this product. handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/... equipment. Comply with applicable regulations.

Storage conditions : Keep container tightly closed. Store in original container. Store in a dry place.

Protect from moisture.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colorless to yellowish liquid.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Melting point : -53 °C

Freezing point : No data available

Boiling point : 114 - 115

Flash point : 33 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour

Vapour pressure : No data available

Relative vapour density at 20 °C : 1.94

Relative density : No data available

Density : 0.949 g/cm³
Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if

inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage. Serious eye damage/irritation : Serious eye damage, category 1, implicit

: Not classified Respiratory or skin sensitisation Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Specific target organ toxicity (repeated

exposure)

: Not classified

: Not classified Aspiration hazard

Potential adverse human health effects : Toxic if swallowed. Toxic in contact with skin.

and symptoms

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

PROPARGYL ALCOHOL FOR SYNTHESIS (107-19-7)

Persistence and degradability May cause long-term adverse effects in the environment.

Bioaccumulative potential

No additional information available

Mobility in soil 12.4.

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

6/11 09/04/2015 www.Labogens.com

Safety Data Sheet

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2929
UN-No. (IMDG) : 2929
UN-No.(IATA) : 2929
UN-No.(ADN) : 2929
UN-No. (RID) : 2929

14.2. UN proper shipping name

Proper Shipping Name (ADR)

: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.

Proper Shipping Name (IMDG)

: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.

Proper Shipping Name (IATA)

: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.

Proper Shipping Name (ADN)

: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.

Proper Shipping Name (RID)

: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.

Transport document description (ADR) : UN 2929 TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S., 6.1 (3), I, (C/D),

ENVIRONMENTALLY HAZARDOUS

Transport document description (IMDG) : UN 2929 TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S., 6.1 (3), I, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 2929 TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S., 6.1, I,

ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 2929 TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S., 6.1 (3), I,

ENVIRONMENTALLY HAZARDOUS

Transport document description (RID) : UN 2929 TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S., 6.1 (3), I,

ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 (3)
Danger labels (ADR) : 6.1, 3



IMDG

Transport hazard class(es) (IMDG) : 6.1 (3)
Danger labels (IMDG) : 6.1, 3

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet



IATA

Transport hazard class(es) (IATA) : 6.1 (3) Hazard labels (IATA) : 6.1, 3



ADN

Transport hazard class(es) (ADN) : 6.1 (3)
Danger labels (ADN) : 6.1, 3



RID

Transport hazard class(es) (RID) : 6.1 (3)
Danger labels (RID) : 6.1, 3



14.4. Packing group

Packing group (ADR) : I
Packing group (IMDG) : I
Packing group (IATA) : I
Packing group (ADN) : I
Packing group (RID) : I

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TF1

Special provision (ADR) : 274, 315

Limited quantities (ADR) : 0

Excepted quantities (ADR) : E5

Packing instructions (ADR) : P001

Mixed packing provisions (ADR) : MP8, MP17

www.Labogens.com 09/04/2015 8/11

Safety Data Sheet

Portable tank and bulk container

instructions (ADR)

: T14

Portable tank and bulk container special

provisions (ADR)

: TP2, TP27

Tank code (ADR) : L10CH

Tank special provisions (ADR) : TU14, TU15, TE19, TE21

Vehicle for tank carriage Transport category (ADR) : 1

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV1, CV13, CV28

Special provisions for carriage - Operation : S2, S9, S14

(ADR)

Hazard identification number (Kemler No.) : 663

Orange plates

663 2929

: C/D Tunnel restriction code (ADR) EAC code : •3W APP code : A(fl)

- Transport by sea

Special provision (IMDG) : 274, 315

Limited quantities (IMDG) : 0 Excepted quantities (IMDG) : E5 Packing instructions (IMDG) : P001 Tank instructions (IMDG) : T14

Tank special provisions (IMDG) : TP2, TP13, TP27

EmS-No. (Fire) : F-E : S-D EmS-No. (Spillage) : B Stowage category (IMDG) : SW2 Stowage and handling (IMDG) MFAG-No : 131

- Air transport

: E5 PCA Excepted quantities (IATA)

PCA Limited quantities (IATA) : Forbidden PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : 652 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 658 CAO max net quantity (IATA) : 30L Special provision (IATA) : A4, A137 ERG code (IATA) : 6F

- Inland waterway transport

Classification code (ADN) : TF1

Special provisions (ADN) : 274, 315, 802

: 0 Limited quantities (ADN) Excepted quantities (ADN) : E5 Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, TOX, A

: VE01, VE02 Ventilation (ADN)

Number of blue cones/lights (ADN) : 2

09/04/2015 9/11 www.Labogens.com

Safety Data Sheet

- Rail transport

: TF1 Classification code (RID) Special provision (RID) : 274, 315 Limited quantities (RID) : 0 Excepted quantities (RID) : E5 : P001 Packing instructions (RID) Mixed packing provisions (RID) : MP8, MP17

Portable tank and bulk container

instructions (RID)

: TP2, TP27

: T14

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : L10CH

Special provisions for RID tanks (RID) : TU14, TU15, TU38, TE21, TE22

Transport category (RID) : 1

Special provisions for carriage - Loading

and unloading (RID)

: CW13, CW28, CW31

Hazard identification number (RID) : 663

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

PROPARGYL ALCOHOL FOR SYNTHESIS is not on the REACH Candidate List PROPARGYL ALCOHOL FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 2, hazardous to water (Classification according to

VwVwS, Annex 2; WGK No 177)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

: R10 <H226;H301+H311+H331;H314;H411>; Emergency management guidelines Classification remarks

for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

09/04/2015 10/11 www.Labogens.com

Safety Data Sheet

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Tall tox of it; it and both princess.	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H331	Toxic if inhaled
H411	Toxic to aquatic life with long lasting effects
R10	Flammable
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed
R34	Causes burns
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
С	Corrosive
N	Dangerous for the environment
Т	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11